
和同除雪機

# SXG3512AT SXG3512A-ST パーツリスト



B98-130 SXG3512AT ワドー除雪機 標準シュータ B98-330 SXG3512A-ST ワドー除雪機 短シュータ パーツリスト目次

パーツリストID	ブロック名	パーツリストID	プロック名
1	エンジン取付	13	油圧配管
2	エンジン関連	14	動力伝達(1)
3	燃料タンクフレーム・燃料タンク	15	動力伝達(2)
4	ミッションケース・本体フレーム	16	パ ネル・ハント ル
5	除雪フレーム	17	操作レバー(1)
6	シュータ(標準シュータ)	18	操作レバー (2)
	シュータ(短シュータ)	19	電装品 (1)
7	旋回モータ	20	電装品(2)(標準シュータ)
8	オーカ゛キ゛ヤケース		電装品(2)(短シュータ)
9	フ゛ロワ	21	銘板・付属品(ヤンマー)
10	オーカ゛・ロータ		銘板・付属品(ワドー)
11	下段オーガサポート	22	銘板 安全(ヤンマー)
	上段オーガサポート		銘板 安全(ワドー)
12	カハ゛ —		

# 1. エンジン取付


				B98-330	SXG3512A-ST
N	の 部品番号	部 品 名	個数	備	考
	01001-B98-003	エンシ゛ン3TNV88C-DSR	1		
	2 22190-160002	シールワッシャー(小丸 16	1	エンジン付属品	
	3 129459-39150	ツキ゛テオイルト゛レン	1	エンジン付属品	
1 4	1 91323-019	自在バンド 19	2		,
1	91542-1505701	ホース 15x570	1		
(	91382-1905101	コルケ゛ート 19x510	1	·.	
7	02700-B56-000	ト レンシ ョイント COMP	1		
8	93100-0802017	フランシ B 8*20	1		
9	91691-1222205	丸パッキン12. 5x22x2. 0	1		
10	93300-1201617	プランシ B 12*1. 25*16	1		
11	98310-02024	Oリング P20	1		
12	67902-A63-000	油圧フランジ	1		
13	93100-0602517	ブランシ B 6*25	4		
14	51902-B54-001	90° xnt PT3/8*PF1/2	1		
15	51901-B84-000	座付45° エルボ PF3/8XPF1/4	1		].
16	TO SEE SECTION SERVICES PRODUCED	エンシ、ンヘ、ーズL COMP	1		1
17	93000-1002017	コカ チャ ネB 10*20(7T	6		
18	94101-12010	ミカ*キW 12	6		Į.
19	93000-1203017	コカ チハ ネB 12*30(7T	6		ļ
20					ľ
21					ļ
22					ĺ
23					1
24	02200-B98-803	エンシ゛ンヘ゛ースR COMP	1	v.	
25	93000-1002017	コカ チバ ネB 10*20 (7T	8		
26	94101-12010	₹ħ*ŧ₩ 12	6		
27	93000-1203017	コカ チハ ネB 12*30 (7T	6		
28	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	77 75 15 12 55 (11			
29	82500-B98-802	ハーネスステー (ECU) COMP	1		- 1
30	93100-0801617	フランシ B8x16	2		ļ
31	91314-11765	ケーフ゛ルストラッフ゜ 1–1765	1		
32	01014 11700	7 7 1/1/00	'	* -	
33					
34	.].	-			
35					1
36					1
37					1
38					
39			_		
40		ē. r			1
41	129004-44500	ラジエータ <b>A</b> ssy	1	エンジ・ン付属品	
42	03100-B54-800	ラシ゛エータフレーム(アッハ゜ーCOMP	'1	47 7円属面	
74	00100 004 000	// - /// A(//// OUMI	Jamesana	De contribution o como de como de como como de	HI

1. エンジン取付
61 61 61 61 61 61 61 61 61 61
24 10 10 10 10 10 10 10 10 10 10

# 1. エンジン取付

				B98-330	3VG3317H-21
No.	部品番号	部 品 名	個数	備	考
43	03200-B54-801	ラシ゛エータフレーム(ロワー COMP	1		
44	93100-0601617	フランシ B 6*16	4		
45	03600-B98-800	ラシ エータフレームL COMP	1		
46	03902-B98-800	ラシ゛エータフレーAR	1		
47	00002 200 000				
48	93100-0801617	フランシ B 8*16	4		4
49	03400-B56-800	ラシ゜エータヘ゛ース COMP	1		
50	119255-44660	ポ <sup>*</sup> ウシンコ <sup>*</sup> ム(ラシ <sup>*</sup> エータ	2	エンジン付属品	
51	93100-0801617	フランシ B 8*16	2		
52	129A22-49010	ハ゜イフ゜(CWラシ゛ェータA	1	エンジン付属品	
53	129A22-49010 129A22-49020	ハ 1フ (CWラシ*エータB	1	エンジン付属品	
54	23010-038000	ホースパント 38	3	エンジン付属品	
55	91331-080801	コート* クランフ* 8x80	1		
56	91331-000001	1-1 7777 8880			
57					
58					
.59					
60	00010 044000	1. 7. 1. 1.44		·	
61	23010-044000	ホースバント* (44	1	エンジン付属品	
62					
63	00001 P/0 P01	エアーカ* イト*	1		
64	03901-B72-801	1/-1/ 1r			
66	91920-002	不凍液	4. 0	リットル	
67	91922-10306	Dェンシ゛ンオイル10W30(CJ-4級以上)	4. 7	リットル	
	3				
		-			
				•	
,					
	-		1		
	and the state of t				
			1		
		Land of the land o			
				-	
	1		į.	1	

1. エンジン取付
61 A 52 54 41 - 66
53 — 54 — 48 14 — 12 — 12
15 55 42 64 44 46 48 64 44 64 64 64 64 64 64 64 64 64 64 64
67 · 1  48  42  43  44  50  C
48 49 51 (6-10
B 25 26 27 26 27
<u>4</u> -76
17
16 19 18
2 19 18 30 6 5 4 7
8 31



2. エンジン関連


考	備	個数	名	品	部	部品番号	No.
		1		7. 5x650	フ゛レート゛ホース	91543-0750651	43
		1		7. 5x280	フ゛レート゛ホース	91543-0750281	44
	ŕ	4		13	トライト゛ンハ゛ント	91324-013	45
	エンジン付属品	1		サンク	ブラケット(サブ	121256-44600	46
		2		12	トラスコネシ 8*:	93400-0801214	47
		2		×	フランシ N 8	94002-08410	48
	エンジン付属品	1			サフ タンク CMP	124450-44510	49
	エンジン付属品	1		17	ハ ント (サフ タン	124450-44550	50
	エンジン付属品	1			コ゛ムホース	121750-59110	51
	エンジン付属品	2			ホースクリッフ。	121250-44590	52
		1			ラシ"エータステーL	03903-B56-800	53
*		1			サブ・タンクステー	11901-B98-801	54
		2		)	フランシ B 8*20	93100-0802017	55
		2			フランシ*N 8	94002-08410	56
		1			ラシ゛エータステーR	03904-B72-800	5.7
		2		k	フランシ B 8*20	93100-0802017	58
		2			フランシ`N 8	94002-08410	59
		1		150	コルケ゛ート13 ×	91382-1301501	60
		1			タ* イマルW10	94101-10015	61
		1			ダイマルW12	94101-12015	62
							63
					1		64
							65
		3		40	リヒ <sup>°</sup> ートタイRF14	91311-140	66 9
		1			リヒ゜ートタイRF25	91311-250	
				, ,	70 17111120	1011 200	38
		1		)	コルケート 7*120	01382-0701201	59 9
					77   1 220		70
							71
		1		10	コルケ゛ート15X30	1382-1503001	
		1			コルケ ート15X25	1382-1502501	
		' <u> </u> *.			1W)   TOX20	1002 1002001	.
							-
						[	
			a				1
							1
		j					-
		-				Ì	
		1				ĺ	ĺ

2	
(I)-37 8 6	
(3-38) (3-54) (3-54) (3-54)	
7 8 11	
13 15	
10 17	
61 445	
15-45 16 1-41	
66 — 67	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
72 45 45 43 666	
60 54	
10 53 50	57 58
36 20 24 1)-16 49 47 47	el ado
20 27 31 59 55	
2625 39 38 10-45 56	
<b>10</b> -1	/

然料タンクフレーム、燃料タンク	N.	FT YF			PE 6m l	B98-330 SX	
一方がヤブングランレーム、旅谷十プング	No	品番	品名	個数	明細 No	備考	<b></b>
@>( <u>@</u> >( <u>@</u> )		1 02800-B98-803	FUELタンクフレーム COMP	1	201		
54 25 42 43 42	47	2 94101-12010	ミカ <sup>*</sup> キW 12	5	202		
15 18 10	39	3 93000-1203017	コカ ダハ ネB 12*30(7T	4	203		
7 21 7	7/13 42	4 93000-1202517	コカ*タハ*ネ B12*25(7T	1	204		
9 5	46	5					
	25	6 04100-B98-001	FUELタンク36 COMP	1	211		
(V)74N9~ (13) (13) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1		7 04902-B98-000	キャップ(燃料タンク	1	212		
	$1 + \frac{43}{20}$	8 04903-B98-000	フィルター	l t	213		
41 51 1 )-30		9 04300-B98-000	FUELセンサー(36L	1	214		$\top$
49 6 . 12		93200-0501514	ハ*ネナヘ*コネシ*5 × 15	5	215		$\top$
45 48 16 11		91546-0751321	BFホース 7.5*1320	1	216		$\dagger$
51	12	91546-0750901	BFホース 7.5*900		217		
7° 171119~	13	91324-013	トライト・シハ・ント゛ 13	4	218		$\dagger$
49	14	91912-03	軽油	7	219	Q	$\dagger$
27 27 40	15	91382-1506001	コルケ*ート15×600		220		
	16	91382-1512701	コルケ* -ト15×1270		221		+
B	17	04905-B78-801	ケーシ、ハーネスステー		222		+
33 34 32 34 37 44		91315-C4397	ケーフ・ルクリップ C-4397		223		-
55 -4	19		7 7 107 777 0 4007		223		+
E A 27	20	03300-B98-800	タンクパント A COMP		004		+
37		03400-B98-801	タンクハ*ント*B COMP		231		+
		03100-B98-804			232	1	-
24 D 24 A 35 M		03200-B98-804	タンクハ"ント"ステーA COMP		233		+
23 34		93100-0801617	タンクハ・ント・ステーB COMP	1	234		-
56	05.0		フランシ B 8*16	6	235		-
4 35 35		93100-0802017	フランシ*B 8*20	2	236		-
26 34		94003-08412	コカ*タN 8(2	4	237		-
2 29		4905-B98-000	] \(^1\)\(^35*370*5	2	238		+-
1 2 3		4907-B98-000	ゴム35*480*5	2	239		-
56	30	4909-B98-000	J*4160*410*5	1	240		-

3				7	mism 1	B98-330 SXG3512A-
25	3 燃料タンクフレーム、燃料タンク	No. 品番	品名	個数	明細 No	備考
33 (35500-880-800   9777 - 75 (300P)   233   344   35	(2) (1) (1) (2) (2)	31 03905-B98-802	タンクカ"ート"A	1	251	
33 (35500-880-800   9777 - 75 (300P)   233   344   35	10 54 25 47 47 A7	32 03906-B98-800	タンクカ゛ート゛B	1	252	
13	10 ((0)0-10	33 03500-B98-800	タンクカ゛ート゛C COMP		253	
35   MADIZ - GREAT   1   2   2   2   2   2   2   2   2   2	17 00	34 93100-0801617	フランジ B 8*16	11	254	
36 03908-896-801 2/2/ +7.7- 1 2.56 2.57 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.21.87 8416 2 .257 3.7 83400-9801814 17.7 8418 17.7	46	35 94002-08410	フランシ*N 8	2	255	
49 41 51	13 D 13 25 25	36 03908-B98-801	タンクカ・ート・ステー	1	256	
38 38 (03903-B88-B00)		37 93400-0801614	トラスコネシ 8*16	2	257	
39 03903-B98-B00	28 1 20	38				٠
40 04904-898-800 77-4-3-37-A 1 262 41 04910-898-800 79-4-3-37-B 1 268 42 83100-0802017 757-78-80 2 2664 43 83101-08012 77-78-80 2 2664 44 83100-0801817 757-78-80 1 266 45 83100-0801817 757-78-80 1 266 46 81234-084110 757-78-80 1 266 47 03806-853-000 AK7-7-7150×100 1 269 48 91315-C1J77 7-78-80-91 2 2 273 49 91315-C1J77 7-78-80-91 2 2 273 40 91315-C1J77 7-78-80-91 2 2 2 273 40 91315-C1	2 41 51 1 1 50 1 1 1 1 1 1 1 1 1 1 1 1 1 1	39 03903-B98-800	タンクカ <sup>*</sup> イト <sup>*</sup>	1	261	
1	15 A8	40 04904-B98-801	プリーサ゛ーホースステーA	1.	262	
13	52	41 04910-B98-800	フ*リーサ*ーホースステーB	1	263	
43 84111-08012	51	42 93100-0802017	フランシ B 8*20	2	264	
45 93100-0601617 フランド B 6#16 1 267  46 91234-084110	7 67407 4	43 94111-08012	ハ*ネW 8	2	265	
46 91234-084110   カンタフロックN 8   2 268   47 03906-B53-000   AKアープ150×100   1 289   48 94002-06410   フラングN 6   1 270   48 91315-C1J77   ケーブ・ルフリップ・C-JJ77   3 271   50 04901-B98-000   ブリーザネース 760   1 272   51 91321-12   ホースクリップ・12   2 273   51 91321-12   ホースクリップ・12   2 273   52 94330-0801610   マルアダヤビン 8*16   1 274   53 4   53 4   53 5 6   54 5 7 03909-B98-000   スペーサ   2   2   2   2   2   2   2   2   2	49	44 93100-0801617	フランシ <sup>*</sup> B 8*16	ĭ	266	
46 91234-084110   コカ タラブドック N 8   2 268   47 03906-B53-000   AK7-7*150×100   1 268   48 94002-06410   フランド N 6   1 270   49 91315-C1J77   ナーブ・ルクリップ・C-JJ77   3 271   50 04901-B98-001   ブリーザ・ネース 700   1 272   51 91321-12   ホースクリップ・12   2 273   51 91321-12   ホースクリップ・12   2 273   52 94330-0801610   マルアダマピン 8*16   1 274   53   54 87300-B18-000   ブースコート   1   55 91314-11W02   ケーブ・ルストラップ・1-1W02   1   56 03910-B98-000   スペーサ   2   2   2   2   2   2   2   2   2	40	45 93100-0601617	フランシ <sup>*</sup> B 6*16	1	267	
33 34 32 34 37 44 48 94002-06410 7ランド 8 1 270 49 91315-C1J77 カーフ・ルクリッフ・CーJ77 3 271 50 04901-B98-001 フリーサキース 700 1 272 51 91321-12 ホースクリップ・12 2 273 52 94330-0801610 マルアダヤビン 8*16 1 274 53 94330-0801610 マルアダヤビン 8*16 1 274 53 91314-11W02 ケーフ・ルストラッフ・1 1 1 2 56 03910-B98-000 スペーサ 2 56 03910-B98-000 スペーサ 2 56 03910-B98-000 スペーサ 2 57 03909-B98-000 コーム 30X50X5 1 59 91314-11765 ケーフ・ルストラッフ・1-1765 1 59 91314-11765 ケーフ・ルストラッフ・1-1765 1 59 91314-11765	27 40	46 91234-084110	コカ ゙タタフロックN 8	2	268	
48   94002-09410   フランドルリッフ・C-IJ77   3   271   50   04901-B98-00  フリーザホース 700   1   272   51   91321-12   ホースクリップ・12   2   273   52   94330-0801610   マルアタマピン 8*16   1   274   53   54   87300-B18-000   フースコート・	B ( )	47 03906-B53-000	AKテープ 150×100	1	269	
49 91315-C13/7   オープ・ドルリップ・C-13/7   3 271   50 04901-B98-000   プリーザ・ホース 700   1 272   51 91321-12   ホースクリップ・12   2 273   52 94330-0801610   マルアダマピン 8*16   1 274   53 87300-B18-000   7-スコート*   1 274   53 87300-B18-000   7-スコート*   1 274   55 91314-11W02   7-プ・ルストラップ・1-1W02   1 274   56 03910-B98-000   スペーサ   2 2 2 3 3 3 3 4 3 3 4 5 3 4 5 5 91314-11765   7-プ・ルストラップ・1-1765   1 2 3 3 5 5 5 91314-11765   7-プ・ルストラップ・1-1765   1 2 3 3 5 5 5 91314-11765   7-プ・ルストラップ・1-1765   1 3 3 5 5 5 5 91314-11765   7-プ・ルストラップ・1-1765   1 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	33 34 32 34 37 44	48 94002-06410	フランシ <sup>*</sup> N 6	1	270	
50   04901-B98-00    7 <sup>1</sup> リーザネース 700   1   272   50   04901-B98-00    7 <sup>1</sup> リーザネース 700   1   272   51   91321-12   ホースクリップ・12   2   273   52   94330-0801610   マルアダマピン 8*16   1   274   53   54   87300-B18-000   7-スコート・	55	49 91315-C1J77	ケーフ゛ルクリッフ゜ C-1J77	3	271	
51 91321-12   ホースクリップ・12   2 273   52 94330-0801610   マルアダマピン 8*16   1 274   1 274   1 2 2 273   1 2 2 273   1 2 2 273   1 2 3 2 3 3 4 3 4 5 3 5 4 87300-B18-000   アースコート	E A 21	50 04901-B98-00I	ブリーザホース 700		272	
24	37	51 91321-12	ホースクリップ゜12	2	273	
24	B 31 34	52 94330-0801610	マルアタマピン 8*16	1	274	
4	24 D 24 A 35	53				
4	23 34	<sub>54</sub> 87300-B18-000	<b>7</b> ースコート*	1		,
35 26 34 29 35 26 34 56 03910-B98-000 コ・ム 30X50X5 1 58 91314-11765 ケーフ・ルストラッフ・1-1765 1	56 22	<sub>55</sub> 91314-11W02	ケーフ゛ルストラッフ゜ 1–1W02	1		
2 29 58 91314-11765 ケーフ・ルストラップ・1-1765 1 59 59 56 56 56 56 56 56 56 56 56 56 56 56 56	35	<sub>56</sub> 03910-B98-000	スペ−サ	2		
2 29 58 91314-11765 ケーフ・ルストラップ・1-1765 1 59 59 56 56 56 56 56 56 56 56 56 56 56 56 56	26 34	57 03909-B98-000	э А 30X50X5	1		
56	2 29	<sub>58</sub> 9131 <b>4</b> –11765	ケーフ゛ルストラッフ゜ 1-1765	1		
56	1 2	59				
	. 56	60				

#### 4. ミッションケース・本体フレーム



# 4 ミッションケース・本体フレーム B98-130 SXG3512AT

Ī		T					B98-330	SXG
	No.	部品番号	部 品	名	個数	ğ·	考	
	1	1	- I TO TO SEE STATE		1			
Í	2		1 10 11 1		2			
	3		1 1 1 1 1 1 1 1 1 1 1 1 1		4			
1	4	93300-1005017			2			
ı	5	94006-10410	フランシ N 10*1.25		2			
1	6	93100-0802017	7ランシ B 8*20		2			- 1
	7	94002-08410	フランシ N 8		2		951	
	8	75300-B56-802	変速アーム COMP		1			
	9	94319-50025	スプ リング t ン 5*25		1			
	10	94319-30025	スプ。リング、ヒ、ン 3*25		1			
	11	75913-B18-000	ツヅリ線 1.2*100		1			
Ì	12	75400-B16-000	副変速アーム COMP		1			
	13	94319-60025	スプ。リンク゛ヒ。ン 6*25		1			
	14	94319-35025	スプ リング ピン 3、5*25		1			- 1
	15	75913-B18-000	ツヅリ線 1.2*100		1			
	16	21100-B61-801	クローラフレーム COMP		1			
	17	21905-B18-000	□*A50*50*3.0		2			
:	18	21200-B54-801	アクスルサポートL COMP		1			1
	19	96381-65000	ク゛リースニッフ゜ル B-M6*1		1			1
2	20	21500-B18-000	セットホールト COMP		2			
2	21	91235-16100	ハート * ロックN 16		4			
2	22	26901-B54-801	ト、ライフ、スフ。ロケット		1		•	Ī
2	3	91251-1640451	7ルサ カ ネ 16*40*4.5		. 1			
2	4	94111-16012	パネ₩ 16		1			
2	5	94001-16411	N 16		1			
2	6	21300-B54-801	アクスルサホ。ートR COMP		1			
2	7	96381-65000	ク゚リースニップル B-M6*1		1			
2	8	21500-B18-000	セットホ・ルト COMP		2			-
2	9	91235-16100	ハート ロックN 16		4			
30	0 :	26901-B54-801	ト゛ライフ゛スプ゜ロケット		1			
3	1 9	91251-1640451	マルサ カ ネ 16*40*4.5		1			
32	2   9	94111-16012	パ 神 16		1	,		1
33	3   9	94001-16411	N 16		1			ı
34	1 2	26901-B18-700	フロントホイール		2	ľ		-
38	5 2	24902-1372-000	ホイールシャフトB		2			
36	9	6100-06005	^* アリンク 6005		4	1	*1	
37	9	4520-47080	C7+1×9 47		4			
38	9	8251-2504708	シール D25478		4	1		
39	2	1400-B54-801	テンションヒ゛ーム COMP		4	-		
40	9	4111-16012	ハ* ネW 16		4			
41	9	4001-16411	N 16		4			
42	2	1400-B18-830	イコライサ、フレー4 COMP		2			

#### 4 . ミッションケース・本体フレーム

# ミッション部品 - 80 - 81 - 82

# 4 ミッションケース・本体フレーム B98-130 SXG3512AT

	_	<b>—————————————————————————————————————</b>		γ		B98-330	SXG35
	No	D. 部品番号	部 品 名	個数	備	考	
	43	3 24901-B18-030	) イコライサ <sup>*</sup> シャフト	2			
	44	91251-1230451	マルサ カ ネ 12*30*4.5	8			.
	48	94111-12012	パネΨ 12	8			1
	46	94003-12412	コカ ダN 12 (2	8			
	47	26100-B18-802	イコライサ*ホイール COMP	4			1
	48	24902-B18-000	イコライサ゛ホイールシャフト	4			-
	49	96105-06004	ベアリング 6004UU	8			
	50	91251-1230451	マルサ*カ*ネ 12*30*4.5	8			1
	61	28901-G14-000	転輪加ー	8			
	52	26100-A94-802	クローラホイール COMP	2	フロント側用		
	53	24903-B18-000	ホイールシャフトA	4	7-21 [8371]		
	54	96100-06005	ヘーアリング 6005	8			1
	55	94520-47080	C7†1×17 47	8			j
	56	98251-2504708	シール D25478	8			1
	57	94101-16010	ミカ*キW 16	8			
	58	94111-16012	パネW 16	8			
	59	94001-16411	N 16	8	1		
	60	21500-A94-031	テンションボ ルト COMP	2			
ı	61	21901-B54-800	テンションヒ゜ームサホ゜ート	2			
	62	91219-1020111	コカ * タハ * ネフ * レコートB10*1, 25*20	4			
1	63	23901-B18-000	スプ・リング BJ 50*100	2			Ì
i	64	21902-B54-800	スプ リング ホルター	2			
1	65	94003-12412	⊐ħ゚∮N 12 (2	. 4			
1	66	26100-B18-802	イコライサ ホイール COMP	2			1
İ	67	96105-06004	^ アリング 6004UU	4			
1	68	24901-B56-00-1	クローラアイト、ラーシャフト	2			
	69	94510-20080	C>*1147 20	4			
l	70	21901-B56-800	クローラアイト、ラーサホ。一ト	4	1		
	71	91219-1020011	コカ チハ ネブ レコートB 10*20	4			
l	72	91219-1025011	コカ タハ ネフ レコートB 10*25	4			
	73	94111-16012	パネΨ 16	4			
	74	94001-16411	N 16	4			
	75	23901-A53-000	コ ムクローラ 300*72*40	2			
	76	41100-B98-803	メインフレーACOMP	1			
	.	41100 B30 000	7177V ACOMP	1			
					-		
	79	26200-B72-800	クローラホイールCOMP	2	リヤ側用		
		24002 40004	-* - I * · · * · I * * · O * · O O				
	80	91922-10304	ディーゼルエンジンオイル10W-30	2.60	ミッション本体		
	81	91922-10304	ディーゼルエンジンオイル10W-30	0.650	HST		
	82		グリース ダイナMAX EP No1	30g			
	*						
			CONTRACTOR OF THE PROPERTY OF				

#### 5. 除雪フレーム


B98-330 SXG3512A-ST

	1	31100-B99-004	除雪フレーム COMP	1
· ·	2	94002-08410	フランシ`N 8	12
	3	31907-B54-800	エッシ゛	]
34 . 35 36	4	92600-0802014	カグネB 8*20	12
	5	94101-06010	3为° \$W 6	6
32	6	96381-20000	グ リースニップ ル A-MT6*1	2
28	7	31901-A26-000	シャヘイバン	1
29	8	93100-0802017	フランシ B 8*20	1
	9	91217-0801679	67117B 8*16	2
33	10	94002-08410	プランシ`N 8	2
	11	31901-B03-800	90	2
34-09	12	31300-A53-002	ሃያ <del>ነ</del> ታ术° ートCOMP	2
36	13	91401-A53-000	ピン 12*22	2
25 31 31	14	94210-25200	ワリピン 2.5*20	4
	15	94001-16411	N 16	4
27 34 0	16	94101-16010	≥ガ+₩16	4
7 26	17	94111-16012	バネ₩16	4
	18	91402-A53-000	ピン12X70	2
43	19			
5 0 24 0 24	20	32100-B56-800	センサープ・レート COMP	1
22	21	93100-0802017	フランシ B 8*20	2
	22	91331-080801	コート・クランプ。 8*80	1
42-1	23	83700-B18-000	傾斜センサ	1
9-21	24	93100-0603017	フランシ B 6*30	2
9 15 9 15	1	31901-B54-800	スノーカッティング、プレートL	1
	26	93300-1003017	フランシ B 10*1. 25*30	2
©-16	27	94006-10410	フランシ N 10*1. 25	2
	28	31902-354-800	スノーカッティンク`プ レー♪R	1
3. 10 5 21	29	93300-1003017	フランジ B10X1. 25X30	2
65		94006-10410	フランシ N 10*1.25	2
4 41 39	31	31400-B54-802	センターサホ"ート COMP	1
14-17 38	32	31904-B54-802	スノーカッティング、バー	1
2 6 37	33	93100-0801617	フランシ B 8*16	2
12 40	34	94002-08410	フランシ N 8	6
18 1 🗒	35	94101-08015	9° 17NW 8	2
1 4 A 1 4		93100-0802017	フランシ B 8*20	4
11	37	31400-B18-800	ローリング カ イト COMP	4
		31902-B18-000	<b>≯</b> ∆	16
		31903-B18-000	ን <b>ል</b> 0. 6	4
	- 1	93300-1204517	7ランシ B 12*1, 25*45	8
		94006-12410	フランシ N 12*1. 25	8

5. 除雪フレーム

	<del></del>				
No.	部品番号	部品	名	個数	備考
1	31100-B99-004	除雪フレーム COMP		1	→PL部品番号注文 Fig. 21-,12
2	94002-08410	フランシ N 8		12	†
3	31907-B54-800	エッシ゛		1	
4	92600-0802014	<b></b>		12	
5	94101-06010	沙° +W 6		6	調整用
6	96381-20000	グリースニッフ゜ル A-MT6*1		2	
7	31901-A26-000	シャヘイハン		1	
8	93100-0802017	フランシ B 8*20		1	
9	91217-0801679	67117B 8*16		2	
10	94002-08410	フランシ N 8		2	
11	31901-B03-800	<b>7</b> 17 17 17 17 17 17 17 17 17 17 17 17 17		2	
12	31300-A53-002	ソリサホ。一トCOMP		2	
13	91401-A53-000	t° ソ 12*22		2	
14	94210-25200	ワリピン 2.5*20		4	
15	94001-16411	N 16		4	
16	94101-16010	ミカ* キW16		4	
17	94111-16012	ハ゛ネW16		4	¥
18	91402-A53-000	ピン12X70		2	
19					
20	32100-B56-800	センサープ レート COMP		1	
21	93100-0802017	フランシ B 8*20		2	
22	91331-080801	コート・クランフ。 8*80		1	, <del></del> -
23	83700-B18-000	傾斜也分	İ	1	e e
24	93100-0603017	フランシ B 6*30		2	
25	31901-B54-800	スノーカッティング、ブ、レートレ		1	
26	93300-1003017	フランシ B 10*1. 25*30		2	
27	94006-10410	フランシ N 10*1.25		2	
28	31902-B54-800	スノーカッティンク、プ レートR		1	
29	93300-1003017	フランシ B10X1. 25X30		2	
30	94006-10410	フランシ N 10*1.25		2	
31	31400-B54-802	センターサポート COMP		1	
32	31904-B54-802	スノーカッティング、バ・ー		1	
33	93100-0801617	フランシ B 8*16		2	
34	94002-08410	フランシ N 8		6	
35	94101-08015	9" 17NH 8		2	
36	93100-0802017	フランシ B 8*20		4	
37	31400-B18-800	ローリンク゛カ゛イト゛COMP	1	4	
38	31902-B18-000	УA		16	
39	31903-B18-000	УA0. 6		4	
40	93300-1204517	フランシ B 12*1、25*45	ļ	8	
41	94006-12410	フランシ N 12*1, 25	1	8	
42	91382-0704001	コルケート 7*400		1	
43	96381-65000	グリースニップルB-M6X1	ŀ	1	


#### 6. シュータ (標準シュータ)



#### 6 . シュータ(標準シュータ)

No.	部品番号	部	品	名	個数	備	考
1		- ,					
2							
3					Ì		
4				Ì			
5							
6							
7							
8							
9							
10	33200-B97-002	シュータヘ゛ース COMP			1		
11	33903-B72-001	リンク			1		
12	33400-B97-800	シュータストゥハ・一A 〇	OMP		1		
13	33500-B97-800	シュータストッハ・一名〇	OMP		1		
14	33906-B97-800	ストッハ。一カ、イト。			1		
15	94006-10410	フランシ N 10*1.2	5		4.		
16	93300-1003517	フランシ B 10*1, 2	5 <b>*</b> 35		2		
17	33907-B72-000	クッションゴーム			2 .		
18	96381-20000	グ・リースニッフ N Aー	MT6*1		1		
19	93300-1003017	フランジB 10*1.2	5 <b>*</b> 30		2		
20	33100-B97-002	シュータ900 COMP				为PL部品番号注文	
21	33600-B97-000	カートリッシ゛カハ゛ー C	OMP			}PL部品番号注文	Fig. 21-14
22	91315-C4397	ケーフ、ルクリッフ。 Cー	4397		1		
23	83100-G18-000	ワーキング・ランフ 18	W 91821-	007 電球12V18W	1 .		
24	93100-0801617	フランシ B 8*16			1		
25	91311-140	<b>ያ</b> ቲ° −トタイ RF140			2	,	
26	92100-1010017	B10X1, 25X100 (	7T		1		
27	94006-10410	フランシ N 10*1.2	5		1		
28	92600-0802014	カクネB 8*20			2		
29	94002-08410	フランシ`N 8			2		
30	81200-B97-800	スイッチフ゛ラケットCOM	IP		1		
31	83200-B97-001	大型リート、スイッチ			1	ì	
32	93100-0801217	フランシ B 8*12			1		
33							
34	94002-08410	プランシ`N 8			1	er .	
35	33300-B53-600F2	シュータテ <sup>*</sup> フレクタA C	OMP		1		
36	33400-B53-600F2	シュータテ <sup>*</sup> フレクタB C	OMP		1		
37	91262-061650	プレスピン6*165			2	ŧ	
38	94210-20120	<b>ワリピン 2*12</b>			2	1	
39	33700-B97-801	シュータアーム CÓMP			1	e e	
40	33902-B53-800	リンクアーム 129			2		
41	33600-B53-800	シュータリンクA COMP			2		
42	33908-B72-802	シューカリンクB			2		notations, a service and a ser


#### 6. シュータ (標準シュータ)



#### 6. シュータ (標準シュータ)

	1					
No.	部品番号	部品	名	個数	備	考
43	94002-08410	フランシ N &		10		
44	33904-B53-000	段付前外		2		٠
45	94002-08410	フランシ*N 8		2		
`46	91361-18N0	ホールフ* ラク* 18N0		2		
47	33700-B72-003	モーターフ <sup>*</sup> ラケットA COMP		1		
48	33904-B08-000	シュータブ・ーツ		1		
49	91358-1202515	コ * ムフ * ッシュ NG-79-N		1		
50	34200-B72-803	シュータラック COMP		. 1		
51	38100-B72-001	モーターカハ ー COMP		1		
52	38905-B72-801	モーターカハ・ー		1		
53	81100-B53-002	モータJC578VA		1,		
54	91217-0601674	67††7B 6*16		1		
55	91316-2140	ケーフ か ント CV-140SW	°	2		
56	33902-B56-002	+"+ M2*32		1		
57	33903-B56-003	+*† M2*18·		1	•	
58	91644-121080	フランシ ファッシュ 80F-1210		1		
59	93100-0601617	7ランシ B 6*16		3		
60	93100-0601217	フランシ B 6*12		6		
61	94101-08010	沙*		1		
62	94210-25150	列けり2.5*15	*	1		
63	94101-12010	>为** 辛₩ 12		1		
64	94511-09010	EF10 9		1		
65	91315-C4397	ケーブ ルクリッフ C-4397		2		
66	93500-0301614	ナベコネジ3X16		2		
67	94101-03010	ミカ* +W3		4		
68	94111-03012	ハ゛ ネW3		2		
69	94001-03412	N3 (2		2		
70	91314-11765	ケーフ゛ルストラッフ゜ 1-1765		1		
71	33904-B01-104	コイルスフ゜リンク゛19. 7x12	7	1		
72	91580-2000801	プ ラマー20x80		1		
	,					
		21				
						147
		e.				
				12		
				4	5	
				J		

# 6 . シュータ (短シュータ)




#### 6. シュータ (短シュータ)

1.5%			·	
No.	部品番号	部 品 名	個数	備 考
1				
2			j	
3				
4.				
Б				
6				
7				
8				
9				
10	33200-B97-002	シュータベース COMP	1	,
11	33908-B72-001	リンク*	1 -	}
12	33400-B97-800	シュータストッハ゜ーA COMP	1	
13	34500-B99-800	シュータストッハ゜-B COMP	1	
14	33906-B97-800	ストタハ・ーカ・イト	1	
15	94006-10410	フランシ N 10*1.25	4.	
16	93300-1003517	ブランシ*B 10*1.25*36	2	
17	33907-B72-000	クッションコーム	2	
1.8	96381-20000	グースニッフ ル A-MT6*1	1	
19	93300-1003017	プランシ B 10*1.25*30	2	DI WE E SE E WAS IN
20	33100-B99-005	Va-4 COMP		PL部品番号注文 Fig. 21-13
21 22	33300-B99-002	カートリッジ カハー COMP	1 1	PL部品番号注文 Fig. 21-14
23	91315-C1J77	ケーフ・ルクリッフ C-1J77 アーキング・ランプ 18W 91821-007 電球12V18W	1	
24	83100-G18-000 93100-0801617	amada arra	1	
25	91311-140	7779 B 8*16 Fe" -F#4 RF140	1	o .
26	92100-1010017	B10X1. 25X100 (7T	1	
27	94006-10410	フランシ*N 10*1,25	1.	
28	92690-0802014	カクネB 8*20	2	
29	94002-08410	プランシ <sup>*</sup> N 8	2	
30	93100-0801617		4	
31	93100-0801617	フランシ B8X16	4	
32				
33				
34	94002-08410	フランシ <sup>*</sup> N 8	1	
35	33400-B99-602	シュータデ、フレクタA COMP	1	
36	33500-B99-603	・シュータテ゛フレクタB COMP	1	
37	91262-061650	7° VXt' V6*166	2	8
38	94210~20120	<b>り) ピン 2*12</b>	2	
- 1	33600-B99-801	シュータアーム COMP	1	
1	33902-B53-800	リンクアーム 129	2	
1	33600-B53-800	シュータリンクA COMP	2	
	33901-B99-800	シェークリンクB	2	

6. シュータ (短シュータ)

No.	部品番号	部. 品 名	個数	備	考
43	94002-08410	フランシ N &	10		
44	33904-B53-000	段付析。	2		
45	94002-08410	フランシ N 8	2		
46	91361-18NO	ホールフ。ラク、18N0	2		
47	33700-B99-802	モーターフ ラケットA COMP	1	A 0.2	
48	33904-808-000	シュータブ・ーツ・・	1		
49			1		
50	34200-B99-801	シュータラック COMP	. 1		
51	38100-B99-001	モーターカハ゛ーA COMP	1		
52	38200-B99-802	モーターカハ゛ーB COMP	1		
б3	81100-B53-002	€-9JC578VA	1	ı	
54	91217-0601674	67††5B 6*16	1		
55	91316-2140	ケーフ * ルハ * ント * CV-140SW	2		*
56	33902-B56-002	キ*ヤ M2*32	1		
57	33903-B56-003	+*+ M2*18:	1		
58	91644-121080	フランジプッシュ 80F-1210	1		
59	93100-0601617	7ランシ B 6*16	3		
60	93100-0601217	フランジB 6*12	4		
61	94101-08010	8 W	1		
62	94210-25150	リリモン 2.5*15	1	•	2
68	94101-12010	· 3h* +W 12	1		
64	94511-09010	B1-77 9	1		
65					
66	33800-B99-800	オサエフ゜レートCOMP	1		
67	93100-0601716	フランシ B6X16	3		
68	91382-1002801	コルケ ート10x280	1 1		
-			1		
.					
- 1					
ŀ	ł				
	į				
	į				
-					
1	ľ				

	6 、シュータ (短シュータ)
38 43 43 43 44 44	37 39 44 46 38 39 44
55 48 55 62 53 53 53 53	45 44 44 44 45 25 34 68 30 28 20
60 67 66 52	17 18 16 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18
	26 11 15 15 15 15 15 15 15 15 15 15 15 15




No	品番	品名	処理	feet still.	B98-330 SXG3512A-S
	-	HM-FT	火炬	個数	備考
1	31300-B72-830	旋回モータブ・ラケット	B2	1	
2	33905-B72-03-1	旋回モーターキ・ヤ	DZ.	1	
3	93100-0801617	フランシ B8X16		3	
4	81100-B82-00	E-9-8157		1	
5	38902-B72-000	ナイロンホイール		- 1	
6	91358-1151930	コ゛ムフ゛ッシュ NG-79-M		- 1 .	
7	91314-119P7	ケーフ・ルストラップ。 1-19P7		2	
8					Many to the second seco
9	93100-0601617	フランジ B 6*16		3	
0				-	
1	38100-B97-802	カハ゛ーステーCOMP	BZ	1	
2	38400-B97-000	シュータヘ゛ースカハ゛ーA COMP	150	1	1
3	38500-B97-000	シュータへ゛ースカハ゛ーB COMP		++	
4	93100-0801617	フランジ B8X16		11	
6					

※短シュータ仕様 共通


#### 8. オーガギヤケース

	Ţ				B98-330	SXG3512	A-S
No.	部品番号	部品	名	個数	備	考	
1	31500-B99-801	キ ヤケースナポート COMP		1			ヿ
2	91219-1030010	コカ * タハ * ネフ * レコート B10*30		2			
3	31907-A71-001	キ゛ヤケースライナー2、0		1			1
4	31908-A71-001	キ** ヤケースライナー0.6		3			ł
5	93300-1003517	フランシ B 10*1. 25*35		2			
6	94006-10410	フランシ N 10*1, 25		2			
7	31901-B99-701	オーカ゛キ゛アケース		1		×	
8	32903-B99-001	平歯車 M3.5*13		1			
9	97116-030241	‡- /0×8*30RR		1		¥	
10	32902-B99-002	ベベルギヤ M3.5X33		1			
11	96100-06206	ヘンアリング 6206		2			
12	32905-B99-000	スプ゚ロケット 50X18(下)		1			
13	32906-B99-000	スプ <sup>*</sup> ロケット 50X18(上)		1			
14	91661-1950066	チェン 50X66LE		1	*エント レス		
15	32904-B99-001	平歯車 M3.5X37		1			
16	34902-B99-002	下段オーガシャフト		1			
17	96100-06207	へ アリンク 6207		2			
18	97117-052241	‡- 12*8*52RR		1			
19	32909-A09-001	カラー 40*19		1			-
20	31911-B99-000	キ゛ヤケースハ゜ッキン(ヨコ		2			1
21	31904-B99-701	オーカ。キ。ヤケースフタ		2			
22	98251-3505511	シール D355511		2			1
23	91219-0825010	コカ * タハ * ネフ * レコート B8*25		. 12			
4	91691-1018305	丸パッキン (アルミ10x18x3		1			
5	92000-1001614	B 10*16		1			
6	31905-B99-700	オーカ゛チェンケース		1			
	34903-B99-030	上段オーガシャフト		1			1
-							
9	96100-06205	ベブリング 6205		2			
0	97114-040041	‡-7X7X40S		2			
1	31908-A26-001	上段ローターフタハ゜ッキン		2			
2	31909-A26-801	上段四夕7月		2			
3	98251-2504008	シール D25408		2			
4	91219-0825010	コカ * タハ * ネフ * レコート B8*25		6			1
	en un bestel autrafficiert († 1705)						
) 3	31912-B99-000	オーカ*キ*ヤケースハ*ッキン		1			
) [	94319-60016	スプリンク゚ピン 6*16		2			
.   9	1219-0825010	コカ * タハ * ネフ * レコート B8*25		6			
3	31902-B99-700	入力軸ハウジング	1	1			ĺ

81 79 1 76	8. オーガギヤケース 83
26 · 78 — 77	85 84 85 84 86 82
33 31 <sub>41</sub> 33 39	55 56 57 A 59 58
7 - 14	18 19 71 72 74 16 Z 70 70
23	9 4 47 73 73 54
20 11 2	5 48 49 50 46 45 53 42 44 43
(A)	
•	(S)-1



シャーボルトASSY品番 ブロワ : 90002-B99-000 シャーボルト10X40Assy 上段オーガ: 90001-B10-000 シャーボルト8X25Assy 下段オーガ: 90002-B99-000 シャーボルト10X40Assy




9. ブロワ

B98-130 SXG3512AT

r		and the second s			B98-330	SXG3512A-
No.	部品番号	品幣	名	個数	備	考
1	36100-B99-802	プロワ COMP		1		
2	91901-A48-000	シャーフ゛ッシュ φ 10		2		
3	91646-2530R	ブッシュ BM2530FS		2		
4	34902-A98-001	カラー 25*4.5		1		
5	36400-B99-802	オーカ゜シ゛ョイント COMP		1		
6	91901-A48-000	シャーフ゛ッシュ φ 10		2		
7	94003-10412	コカ PN 10(2		1		
8	91212-1030147	コカ゛タオシB10*30 (120° (7T		1		
9	94111-10012	ハ*ネW 10		1	ブ゛ロワシャーピン	
10	92001-1004014	B10X40		1	ブロワシャーヒン	
11	94001-10412	N 10(2		1	ブ ロワシャーヒ シ	
12	36901-B18-700	フ゛ロワシャフトハウシ゛ンク゛		1		
13	34902-B18-000	フ゜ロワシャフト		1		
14	96105-06306	ベアリング 6306UU		2		
16	97115-040041	‡- 8*7*40S		1		
16	97114-033041	‡- 7X7X33S		1		
17	94520-72080	Cアナトメワ 72	(4)	1		
18	63901-B54-700	V7°-9- 284C-3*30		1		
19	91251-1035451	マルサ カ ネ 10*35*4.5		1		,
20	93000-1002517	コカ゛タハ゛ネB10X25 (7T		1		
21	32200-B56-800	センサーフ ラケット COMP		1		1
22	93000-1003017	コカ * タハ * ネB 10*30 (7T		2		
23	93000-1002517	コカ゛タハ゛ネB10X25 (7T		2		
-						
- 1						
						.]
l	[					1
ı	i					1
						1
	1					
						l
						ľ
Ì						
ļ			ļ	1		1
-						
				-		
			ĺ	l		
				ļ		
				-		

B98-330 SXG3512A-ST	-
---------------------	---



35600-B99-801

上段オーガシャーフランジCOMP

	Г						B98-330	SXG3512A-S
	No		品。		名	個数	備	考
	43	0.1220 0002011	コカ タヒタ リB8X25 (	7T	-	1		
	46	1	ヒタ゛リハ゛ネW8			1		ľ
	46	1	上段オーガストッパー					ĺ
	47		コカ キハ ネB 8*12(7	ጥ		1		
	48		/\** \$₩8	1		2	LETTLE ST. 10° 1.	
	49	A service of the service of the service of	コカ タB8X25			1	上段オーカ゛シャーヒ゜ン	- ]
	50	1 1	コカ* タN8 (2			1	上段オーガシャーセ。ソ	1
						1	1424 11 27 67	
								1
								ĺ
							•	
						1		ł
								, 1
							at a second and a second a second and a second a second and a second a second and a second a second and a second a second and a second a second and a second a second and a second and a second and a se	Ì
								1×
			*					
1								
l								
								i
	1							
		1						
		1			[			
		1				Į		
			1941			4		1

シャーボルトASSY品番 ブロワ : 90002-B99-000 シャーボルト10X40Assy 上段オーガ: 90001-B16-003 シャーボルト8X25Assy 下段オーガ: 90002-B99-000 シャーボルト10X40Assy	
33 34 (46) 26 (47) (39) 30 37 35 (50) (48)	
28 (41) 27 (40) 36 (49) 4 (16) 8	
7 (18) (19) (14) (14) (14) (14) (14) (14) (16) (17) (14)	
3 (15)	
9 10	

11 下段オーガサポート	No.	品番	品名	個数	明細 No	B96-330 SAG331.	
		1 35700-B99-801	下段オーカ゛サホ゜ートシャフト GOMP	1	3111		
		94006-10410	フランシ N 10*1.25	3	.3112		
	3	35901-B99-80I	下段オーガサポートし	1	3113	適用号機:~210589	
× ×	4	93300-1002517	フランシ B 10*1.25*25	3	3114		
	5	94006-10410	フランシ N 10*1.25	3	3115		
	6	91632-2054101	ヒシフランシ 形ユニット UCFL205-D1	1	3116	ニップル付	
	7	31902-A35-800	サイト゛キャッフ゜	1	3117		
5 • 18 3 • 16 • 29	8	93300-1002517	フランシ B10X1. 25X25	1	3118		
	9	91251-1035451	マルサ゛カ゛ネ10x35x4. 5	1	3119		
27 - 28	10	92000-1404014	B 14*40	2	3120		
12 • 25		94111-14012	バネW 14	2	3121		
4	• 17 <sub>12</sub>	94003-14412	コカ*タN 14(2	2	3122		
	13						
	14	35700-B99-801	下段オーカ・サホートシャフト COMP	1	3151		
2 - 15	15	94006-10410	フランシ N 1.0*1.25	3	3152		
1 · 14	16	35902-B99-802	下段オーガサポートR	1	3153	適用号機:~210589	_
11 - 24	17	93300-1002517	フランシ B 10*1.25*25	3	3154		
10 · 23	18	94006-10410	フランジ N 10*1.25	3	3155		
9 · 22 8 · 21	1	91632-2054101	ヒシフランシ 形ユニット UCFL205-D1	1	3156	ニップル付	
	20	31902-A35-800	サイト・キャップ	1	3157		
7 · 20	21	93300-1002517	フランシ* B10X1. 25X25	1	3158		
10 • 23	22	91251-1035451	マルサ゛カ゛ネ10x35x4.5	1	3159	,	
	23 5	92000-1404014	B 14*40	2	3160		
	24 9	94111-14012	/ı*** 14	2	3161		
	25	94003-14412	⊐ታ*\$N 14(2	2	3162		
	26						
	27 9	94101-10015	ダ"イマルW 10	3			
		94101-10015	4,44mm 10	3			
	29	35904-B99-800	下段才-カ*サポート	2		適用号機:210590~	
	30						

11 上段オーガサポート	No. f	·番 品名	個数	明細 No	<b>億者</b>
	31 36300-B99-80	上段オーガサホ°ートシャフト COMP	1	3191	
	32 94002-08410	フランシ N 8	3	3192	
	33 36901-B99-80	1 上段オーカ・サホートし	1	3193	
	34 35400-B01-00	1 <b>ペ</b> アᡃリン <b>ウ゚</b> ケ─スA COMP	1	3194	
	35 26901-L04-80	車軸カバー	1	3195	
	36 93100-080161	7 7ランシ B 8*16	2	3196	
⑤-27 · ⑤-30	37 94510-20080	Gジがトメワ 20	1	3197	
33 · 42	38 96105-06004	ベアリング 6004UU	1	3198	
32 · 41	39				
32 · 41	40 36300-B99-80	上段オーカ・サホ・ートシャフト COMP	1	3221	
(S-26 · S-20	41 94002-08410	フランシ N 8	3	3222	
34 · 43 (5)-26 · (5)	10 00000 500 00	上段オーカ゛サホ゜ートR	1	3223	
	43 35400-B01-001	^*アリングケースA COMP	1	3224	
	44 26901-L04-800	車軸かー	1	3225	
	45 93100-0801617	フランシ B 8*16	2	3226	
1 · 40	46 94510-20080	Cジクトメワ 20	1	3227	
38 - 47	47 96105-06004	ベアリング 6004UU	1	3228	
37 • 46	48				
	49 94101-10015	タ <sup>*</sup> イマルW 10	2		
	50 94101-10015	ቃ <sup>*</sup> イマルW 10	2		ľ
	51				
· ·	52				
	53				
	54				
	55				
	56				
	57				
	58				
	59			30 33	
	60				

20					/3 / 1		B98-330 SXC	33512A-S
151 26 29	No.	部品番号	部	日日	名	個数	備考	
25		48400-B98-803		-				
24	2	93100-0801617	フランシ B 8			1 4		
34	3	91314-11W02		*10 ツプ1-1W02		4		
38 - 33 (121) 39 - (121) 38 - 33	4	49500-B98-801		A(3512 COM	n	1 1	W. 177.24. 1.11.14	
$(131) \frac{42}{42}$	5	91314-11765	4	a series and the seri	ŗ	1	※標準シュータ仕様	Ì
40 31 B 31 B 38	6	93100-0801657		77° 1–1765		4		
0 - (C)	7	05200-B98-801	フランジ B8X カ ート 351			4		
153 0 115 1 a 35 ° 11	8	93100-0801657	フランジ B8X			1 4		
8 36 37 53	9.	93100-0601037	7777 DOX	10 (赤		4		
53	,							1
5 00 15	10	47100 P00 000	18.21 5 1-	dorm.			w 25	
6	11	47100-B98-803	サイト、フレームエ			1	*	
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	12	91219-0816010		ν⊐-\B8X16		2		
	13	91314-11765	ケーフ・ルストラ			1		ļ
4 · (112) 13 114 2 8 56	14	47200-B98-803				1		
110	15	91219-0816010		ν⊐-\B8X16		2		
	16	91314-119P7	ケーフ゛ルストラッ			4		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	17	48903-B98-800	アンタ・一カハ・一		2	1		İ
43 - 21 69 - 21 69 -	18	93100-0801617	フランシ B 8*	16		4		
12 22 94	19	94002-08410	フランシ N 8			2		Ţ
999	20		コート゛クランフ゜			1	200 Pero 102 Ib. 10 Pero 10	
44	21	1	アンタ・ーカハ・ー			1	PL部品番号注文 Fig.:	21-16
12-990		93100-0801617	フランシ B 8*	16		5		ł
49 51 51 68		94002-08410	フランシ N 8			. 3		ŀ
64		And the second s	ホ"ンネット COI			1		
102			コ゛ムフ゛ッシュ			1		1
68 82	- 1	91315-C4397	ケーフ゛ルクリップ	C-4397		3		
92 (6-1)	27	01000 0101000	** 21 Z PHT \ An			1	i .	
		1		18W. ナイトヒ ー	A	i 1	91821-007 電球12V18W	
93 88 101	1	100	フランシ B 10	1, 25*20		1		1
19 87		a transcription manufacture volument	フック COMP			1		1
20 58 9 7 76			<b>74</b>	-		3	20	1
	- 1		フランシ B 8*.			2		
84 9-91			ガススプリング			2		
154			リル°ソ 2.5%		ļ	· 4		
785		4	ホ゛ンネットスフ゛リ	79		1		1
		20	がイマMV 6			1		
		ALTO DO MANAGEMENT	フランシ B 6*1	6		1		1
			<i>₹ħ</i> * <i>₹</i> ₩ 8			4		
10 200 173		1	ホ、ンネットヒンシ、			2		1
02		1	የንን <sup>*</sup> የ* ን		a.	2		
74		THE RESIDENCE AND ADDRESS OF THE PERSON NAMED IN	E トメワ 7			2	A	. ~ –
777879	42 (	93100-0802017	フランシ B8X20	*****************		4(3)	()は短シュート仕様 No113	と併用

2 to 11	26 28
151	26 29
G. A.	25
	24
$(131) \frac{39}{13}$	38
42 41	156 B 1-34 38
(A) 152	C (C)
8 7 153	115 35
la la	36 37 53
0 00	15
3	99 55 54 52
A	
4 • (112) 13	114
46 - 45 - 2	23 110 16 14 15
W Some	23 60 110 16 14 15 15 96 96 97 98 99 99 90 90 90 90 90 90 90 90
12	22 22
44	99-70
123	11 96
49 5	1 67 64 83 16-68
48 50	102
40 50	1 65 4 (2 ) 666
	92 6-1 85 86 85 90
110	93 88 101
19	18/10/10/10/10/10/10/10/10/10/10/10/10/10/
20 58	<b>4</b> -76
	84
57	86 85 72 154
18 - 6	2 - All - 3 - 2 - 2 - 3 - 3 - 3 - 3 - 3 - 3 - 3
18	71
17 18—000	62 73
	76 100 80 75
	77 78 79

			12	カバー		B98-13	0 SXG3512	AT.
		***	7			B98-33	0 SXG3512	A-ST
	No.	部品番号	都 晶	名	個数	備	考	
	43	48200-B98-030	サイト゛カハ゛ーL, COMP		1			
	44	48901-B69-030	埋込み取手 AP-197	-1-3	2			
	45	49500-B72-000	カハ゛ーストッハ゜ー CO	MP	2			1
	46	91602-B18-002	コイルスフ。リンク。 9.5*42		2			
	47	94002-06410	フランシ*N 6		4.			
	48	39901-B51-001	雪かき棒		1			Į.
	49	39902-A65-001	止め金具		2		*	ſ
	50	92200-0801617	コカ キB 8*16 (7T		2			į
	51	94002-08410	フランシ N 8		2			
	52	48300-B98-031	サイト カハ ーR COMP		1	ļ.		}
	53	48901-B69-030	埋込み取手 AP-197-	-13	2			
	54	49500-B72-000	カハ ーストッハ ー COM	<b>I</b> P	2			
	55	91602-B18-002	コイルスフ・リンク 9.5*42		2			
	56	94002-06410	フランシ N 6		4			. ]
	57	48500-B98-802	カハ゛ーステーL COMP		1			
	58	93100-0801617	フランシ B 8*16		2			
	59	48600-B98-800	カハ゛ーステーR COMP		1	is .		3
	60	93100-0801617	7ランシ B 8*16		2			
	61	41200-B72-801	パ ネルフ ラケットL COMP		1			
	62	93300-1002517	プランシ B 10*1. 25*25		2			
	63	91314-119P7	ケーブ・ルストラップ。 1-19P7		1			
	64	41300-B72-802	パ ネルフ ラケットR COMP		1		*	İ
	65	93300-1002517	フランシ B 10*1. 25*25		. 2			
	66							8.0
	67	48500-B72-804	カバ・ーフレームリヤL COMP		1			
	68	93100-0801617	フランシ B 8*16		2			
!	69	48600-B72-804	カハ ーフレームリヤR COMP		1			
	70	93100-0801617	フランシ B 8*16		2			İ
	71	41400-B56-802	ハ゛ッテリヘ゛ース COMP		1			-
	72	91262-121400	プレスピン 12*140		1			
i	73	94251-120111	スナップ° ピン A12*2.6		1			
1	74	93300-1002517	7ランシ B 10*1、25*25		2	*		
	75	94101-10015	<b>ず イマル</b> Ψ 10		2			
1	76	48905-B75-800	リヤカハ ーFL		1			
1	77	93100-0801617	フランシ B 8*16		2			1
	78	48906-B75-800	リヤカハ゛ーRL		1			
	79	93100-0801617	フランシ B 8*16		2			
	80	91314-119P7	ケーフ・ルストラッフ・ 1-19P7		2			
	81	49800-B75-801	リヤカハ ーRR COMP		1			
	82	93100-0801617	プランシ B8X16		2	,		
	83	91314-11765	ケーブ・ルストラップ 1-1765		2			
	84	49901-B75-601	リヤカハ・ー					
L	common in h	10001 0/0 001	The particular from the state of the state o	The same and the same and the same and	1		The resource of the state of	

ROS	330	SYC	251	20	CT

12. カバー
151 26 28 29
25
$(131) \frac{39}{42} - 33$
40 41 31 BY 31 BY 38
8 115 3 115 3 35
5
3 99 55 54 99
4 · (112) 13 114 B 56
46 47 47 2 59 22 22 20 20 25
43 22 22 94
99 11 12 96
(B)
102 82 82
85 00 85
93
20 - 689
57
18 - 37
17 18 62 73
76 78 80 75 74
79

	_					B98-330	SXG3512A-S
	No	部品番号	報 品	名	個数	備	考
	88	93100-0801617	ブランシ B 8*16		5		
	86	94101-08015	ダ イマルW 8		4.		·
	87	93100-0601257	7 フランジ B6X12(黒		2		
	88	42200-B72-800	ツールホ゛ックスカハ゛ー COMP		1		
	89	42100-B72-831	ツールホ ックス COMP		1		1
	90	42901-B53-000	イーベム・ヒ		1		
	91	93100-0601217	フランシ B 6*12		2		,
	92	48700-B72-001	リヤサイト カハーL COMP		1		
	93	93100-0801617	フランシ B 8*16		2		
	94	48800-B72-001	リヤサイト カハーR COMP		1		ļ
	95	93100-0801617	フランシ B 8*16		2		
	96	48906-B98-000	- スホ° ンシ゛30x30x8		2		
	97						
	98				1		1
	99	48903B53-000	玉ナシ溝ゴム 12*25		4		
	100						1
	101	42901-B72-000	マグ ネットキャッチC-931		1	1	1
	102	91311-250	リヒ <sup>°</sup> ートタイRF250		1		İ
	103						į
	104						ŀ
	105						
	106						2
	107						<b>A</b>
	108						
ĺ	109	1					1
i	110	91314-119P7	ケーフ゛ルストラッフ゜ 1–19P7		2		
	111						
	112	49600-B98-801	フロントカバーS (3512 COMP		1	※短シュータ仕様	1
	113	93400-0802014	トラスコネシ゛8x20		1	※短シュータ仕様 他3か月	所はNo42と併用
					·		
	114	49200-B98-800	フロントカハ゛ーD COMP		1	<u> </u>	1
	115	93100-0801657	フランシ゛B8x16 (黒		2		
l	151	48908-B72-800	シム(調整用)		2		
I		48901-B98-000	グ ラスウール55x580x8		1		
		48902-B98-001	グ ラスウール170x660x8		1		
1	200000	42100-B97-800	ツールホ゛ックスフ゛ラケットCOMP		1		
1	155	93100-0802017	フランシ B8x20		2		
1	156	31903-B18-000	<i>≥</i> 40. 6	J	1		1
-	I			Î			
1	1	ł					
-	l			ł	ĺ		
		1		1			ľ
for			THE PERSON NAMED OF THE PE	-			

#### 13. 油圧配管

				B98-330	SXG3512A-S
No.	部品番号	部 品 名	個数	備	考
1	50001-B56-000	復動油圧シリンダ- φ60*115	1		
2	91551-3024004	45° エルホ 302404	1		·
3	91551-3022004	90° I.//st 302204	1		
4	91261-201101	耳付ピン 20*110	1		
5					
6	94210-40440	ワリヒ°ン 4x40	1	3	,
7	91261-200751	耳付ピン 20*75	1:		
8	94101-20010	ミカ*キW 20	1 '		
9	94210-40440	ワリヒ°ン 4x40	1		
10	60002-B56-000	復動油圧シリンダ- φ50*60	1		
11	91551-3022004	90°工//本* 302204	2		
12	91261-201001	耳付ピン 20*100	1		
13	94101-20010	ミカ*キW 20	1		
14	94210-40440	ワリヒ°ン 4x40	1		
15	91261-200851	耳付ピン 20*85	1		
16	94101-20010		1		
17	94210-40440	ワリヒ°ン 4x40	1		
18		. ** *			
19	52100-B54-001	電磁バルブ	1		
20	93100-0808017	フランシ B 8*80	2		
21	51901-B18-000	座付工体 PF1/4*PF1/4	5		. 1
22	51901-B54-001	シ゛ョイントPF1/4*PF3/8	1		
23	91541-2307533	油圧かみ 2分*750	. 1		
24	91541-2309133	油圧ホース 2分x910	1		
25	91541-2307633	油圧ホース 2分x760	1		
26	57100-B99-000	油圧ホース 250	1		
27	91323-019	自在パンド 19	1		
28	91382-1301501	コルケート 13*150	1		
29	91381-2100	t = 100	2		
30	91311-140	リヒ <sup>°</sup> ートタイRF140	1	,	
31	91541-2307033	油圧ホース 2分*700	~1	3 1	34
32	91541-2308533	油圧ホース 2分x850	1		
33	91311-250	<b>ሆ</b> ቲ° − <b>ト</b> ቃ√ RF250	1		
34	91382-2503001	コルケート 25*300	1		
35	57200-B98-000	油圧ホース 340	1		-
36	91323-019	自在バンド 19	1		İ
37	51100-B97-702	オイルタンクCOMP	1	17	
38	51300-B98-801	・オイルタンクへ゛ースA COMP	1		
39	51400-B98-801	オイルタンクへ゛ースB COMP	2		
40	52901-B98-800	<b>,</b> ホースステー	2		
41.	93100-0801617	フランシ B8x16	6	ē.	
42	93100-0802017	フランシ B8x20	4		

48 ~ 13. 油圧配管 49 ~ 20 ~ 51 ~ 66
$\begin{array}{c} 49 \\ \hline 46 \\ \hline \end{array} \longrightarrow \begin{array}{c} A \\ \hline \end{array} \begin{array}{c} 54 \\ \hline \end{array} \begin{array}{c} 51 \cdot 56 \\ \hline \end{array}$
47 - 🚳 💝 - 🔞 - 52
FO (18) (18)
41
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
39 36
①-24 40 35 35
26
32 つっつ エンジン部品
11 33
1)-15
15 25 55
35 122
22
31
21 <sup>25</sup>
30
34
2 31
<b>4</b> -76
4
<b>4</b> -16

#### 13. 油圧配管


13 , 油圧配管	
40	
40	
46	
47 - 62	
50	
$\begin{array}{c} 45 \\ 39 \\ 42 \end{array}$ $\begin{array}{c} 37 \\ 38 \end{array}$ $\begin{array}{c} 27 \\ 26 \\ 42 \end{array}$	
1-24 40 35	
1)-14	
32 つつ コンジン部品	
11 — 33 — 11—12 — 33 — 11—15 — 33 — 11—15 — 33 — 11—15 — 33 — 11—15 — 34 — 35 — 35 — 35 — 35 — 35 — 35 — 3	
25	
15 10 24	
16 <sub>17</sub> 13 24 21 21 21 21	
13 14	
35 22 23	
22	
8	
25	
28	
5-1	
30	
34,3	
2 3 1 3-1	
<b>4</b> -76	
4 4-16	

		• 7	U . /	4/11 11	<del></del>			
r	-	,				B98-33	o SXG35	512A-ST
No.	部品番号	部	品	名	個数	備	考	
43	94002-08410	フランシ* <b>N</b> 8			4			
44								
45	91314-11765	ケーフ゛ルストラッフ゜			2			
46	51200-B98-801	サクションハ゜イフ゜C(			1			ı
47	51902-B97-000 '	ハ゜ッキン(サクションバ	ヽ゜イフ゜		1			1
48	93100-0801617	フランシ B8x16			2			
49	91526-WF8	シールワッシャーWF-8			2			
50	52904-B51-000	オイルフィルタ35x12			1			ł
51	19901-R21-000	オイル栓KRM-B20			1			
52	51901-B97-000	オイルケ゛ーシ゛Sー3/			1			-
53	91382-2503601	コルケ゛ート25×360	)		1			
54	93100-0802517	フランシ B8x25			. 2			
55	91382-1503501	コルケ゛ート15x350			1			ĺ
56	91951-20032	ターヒ゛ンオイル VG3	32		3.60			1
								,
			¥					1
								ł
								ŀ
								1
							26	
	İ							
						9		
- 1								İ
ĺ								-
1					.			1
						·		ŀ
	1			ĺ				
				}	1			
Ì								
								I
								1
ĺ	ļ							
					1			

70		T	T			SXG3512A-5
1 70	No.	部品番号	部 品 名	個数	備	考
69	1	RESERVED BLESS NO. 3	エンシ゛ンフ゜ーリー(フ゛ロワ	1		
	2		コカ゛タハ゛ ネB12X25 (7T	3		
~ MI	3	02902-B54-700	エンジンプーリー(走行	1		
	4	93000-1003017	コカ チハ ネB 10*30 (7T	3		
2	5	97112-022241	‡- 5*5*22RR	1		
	6	63902-B54-700	HST入力プーリー	1	ľ	¥
A	7	16901-B54-800	フィキシング、プ・レート	1		
	8	94006-10410	プランシ N 10*1, 25	1		
	9	93100-0601617	プランシ`B 6*16	3		•
4-76	10	61100-B98-802	カウンターへ゛ースCOMP	1	(*)	j
39 49	11	91632-205450	ヒシフランシ <sup>*</sup> 形ュニットASPFL205	2		)
	12	64901-B98-700	カウンターシャフト	1		
53 33 30 30 30 30 30 30 30 30 30 30 30 30	13	91251-2030231	マルサ゛カ゛ネ 20*30*2.3	2		
50 52	14	63901-B98-700	V7° −J− 113B*20	1		
	15	97113-020041	‡ 6*6*20S	1		
	16	91251-0835451	マルサ カ ネ 8*35*4.5	1	1	
A)	17	91219-0825010	コカ タハ ネフ レコート B8*25	1		×
51/	18	64902-B54-002	カウンターシャフトカラー	1		
	19	67100-B54-001	電磁クラッチ COMP	1	52600400 ½40.1 52600500 ½40.3	
	20	94101-08015	4 (ANM 8	2		
	21	92201-0805517	⊐ <b>ታ</b> * ∮B8 × Б5 (7T	1		
5157 58	22	94002-08410	フランシ*N 8	1		47
58	23	91544-0730030	カ゛ソリンチューフ゛ 7.3*30	. 1		
4	24	97114-020041	‡ 7*7*20S	1	8	
47	25	91251-0840451	マルサ カ ネ 8*40*4.5	1		
46 \square 1	26	91219-0825010	コカ チハ ネブ レコート B8*25	1		
The state of the s	27	93000-1203017	ゴカ * タハ * 本B 12*30 (7T	5		
Na 40	28	66200-B54-806	走行テンションアーAA COMP	1		
49:0—27 0 74 0 07	29	91646-1512R	ブ ッシュ BM1512FS	2		
67	30	91615-20704243	デンションプ ーリ 70TB2(3個	1		
8 7	31	94510-20080	Cシ*カトメワ 20	1		
24 9 6 4-1	32	16904-M65-000	テンションロット	1	٠.	
15 6 3	33	94003-08412	⊐ክ`\$N 8(2	2		
7 9 1 1 2 72 / (6)	34	91601-A32-001	テンションスプ・リング	1		
68   10	35	91251-1525231	マルサ カ ネ 15*25*2.3	1		
63 7 63	36	94510-15080	マアリ ル ネ 15~25~2.5 Cシ カトメワ 15	1		
40 - 42 11 13 0	37	66300-B54-803	走行テンションアーAB COMP	1		
	1	91646-1512R	だ行フショフノーAB COMP フ・ッシュ BM1512FS	2		
14 16 17	38	1		1 1		
	39	50 50 28 80001 = 2028 88280 80002 CAS	テンションプ -リ70TB2(3価			
383722	40	N. 400000-4000 N. 10000 N. 10 N. 10	Cシ クトメワ 20	1		
384445	41	9 2 2	デンションロット"	1 2		
<b>4.</b> 0	42	94003-08412	ታ <b>ስ ች</b> N 8 (2	2		ЭСУЛАО-ЖЕЛЕТ

14. 動力伝達 (1)

81



		· · · · · · · · · · · · · · · · · · ·				B98-330	SXG3512/	A-ST
No	部品番号	沿台	品	名	個数	備	考	
43	91601-A32-001	テンションスプ゜リンク	,		1			
44	91251-1525231	マルサ"力"ネ 15*	25*2.3		1			1
45	94510-15080	Cシ クトメワ 15			1			1
46	61901-B56-800	テンションヘ゛ースサホ。	<b>-</b> }		1			1
47	93300-1002517	フランシ B 10*1.	25*25		2			
48	91311-140	<b>リ</b> ዸ° −	10		1			1
49	94006-10410	フランシ N 10*1.	25		2	¥	*	
50	65100-B54-802	ブレーキブラケット	COMP		1			- 1
. 51	91644-151580	フランシ ブッシュ 8	80F-1515		2			
52	94101-10015	<b>ダイマルW 10</b>			4			ı,
53	93300-1002017	ブランシ B 10*1.	25*20		4			
54	65100-B56-802	ブロワブレーキ CO	MP		1			
55	91644-151580	フランシ ブッシュ 8			2			
56	65901-B54-000	ブロワブレーキピッ	15*195		1			
57	94101-16010	35° +W 16			2			
58	94210-30300	ワリピン 3*30			2			- 1
59	66901-B54-030	ブ レーキスプ リング			1			
60	91580-1501501	プラマー 15*150			1			
61	91652-0809051	W800^*# SC5			3			
62	91652-0808037	₩800^*ルト SB3			1			İ
63	91652-0808033	₩800^*#\ SB3	8		1			
64	65600-B54-800	ブ゛ロワヘ゛ルトストッハ゛			1			
65	94101-10015	タ イマルW 10	ООНД		. 2			
66	93300-1002017	フランシ B 10*1. 2	25*20		3			
67	94101-12010	ジカ*キW 12	20-20		5			l
68	91233-084120	U† 1 8						
69	02300-B98-703	プ゜ーリーシャフトCOM	Р		1 1			- 1
70	97118-070141	‡- 14X9X70SR			1			- 1
71	91251-1270101	マルサ゛カ゛ネ12×70:	x6		i			
72	93300-1202517	フランシ B12x1. 2	5x25		1			
73	93100-0802517	フランシ B8x25			4			1
74	94002-08410	フランシ゛N8			4			
75	68500-B98-801	電磁クラッチガード	COMP		1			
76	93100-0801617	フランシ゛B8x16			1			
77	94002-08410	フランシ゛N8			2			1
78	91314-11765	ケーフ゛ルストラッフ゜ 1-	-1765		2			
79	65100-B98-800	フ゛レーキスフ゜リンク゛フ	ックCOMP		1			
80	1	コカ゛タハ゛ネB10X20			2			
81	91251-1640321	マルサ゛カ゛ネ16×40×	3. 2	1	1	×:		
				}				
ļ	ļ							
						······································		

#### 15. 動力伝達(2)


····					B98-330	SXG3512A-S
No	部品番号	部品	名	個数	備	考
1	66400-B18-802	ブ゛ロワテンションシャフト COMP	A	1		
1 2	93300-1002517	フランシ B 10*1, 25*25		3		
3	66100-B98-830	除雪クラッチアーム COMP		1		
4	91646-2015R	ブッシュ BM2015FS		2		
5	91614-6272823	テンションフ ーリ 72-3		1		
6	96105-06305	ペアリング 6305UU		2		
7	66901-B18-000	カラー 25*40		1		
8	94520-62080	Cアナトメワ 62		1		
9	94510-25080	Cシ カトメワ 25		1		
10	65300-B56-801	ブレーキカム COMP		1		
11	94101-12010	ミカ* キW 12		2		
12	96105-06201	ヘ アリング 6201UU		1	1	
13	94510-12080	Cシ カトメワ 12		1		
14	94101-20010	ミカ* キW 20		2		
15	94510-20080	Cシ カトメワ 20		1		
16	94101-08015	8 4×1×1 8		1		
17	93100-0802517	フランシ B 8*25	į.	1		-
18	66902-B53-000	テンションリターンスプ。リンク。		1		
19	66903-B53-800	スプ・リング、フック		2		
20	91580-1501501	プラマー15x150		1		
		e.				
,						1
23	66500-B85-802	電動クラッチペース COMP		. 1		1
24	81100-B53-002	t-月C578VA		1		<i>'</i>
25	93100-0601617	フランシ B 6*16		3		1
26	66600-B53-801	クラッチキ゛ヤ COMP		1		İ
27	91647-1515	ブ゛ッシュ 77B-1515		2		
28	91251-1525231	マルサ カ ネ 15*25*2、3		1 1		1
29	94510-15080	Cシ クトメワ 15		1		ŀ
30	83100-B10-000	シュートセンカイスイッチ		2		į
31					*	1
32	83901-B10-000	SLボルトM3X20		4	- 1	ŀ
33		The second secon				
34	94002-03410	フランシ゛N3		4		
35	93100-0801617	ブランシ B 8*16		2		
36	91314-119P7	ケーフ ルストラップ 1-19P7		1		
37	77100-B98-001	除雪クラッチワイヤー		1		
38	94251-080111	スナップ t°ソ A8*1.8		1		1
39	94330-0802210	マルアタマヒ'ソ 8*22		1	~	
40	68901-B85-800	電動クラッチカバー		1	*	
41	93100-0601217	フランシ B 6*12		2	341	1
42	94210-25150	ワリピン 2.5*l5		1		

10:到刀瓜连(4)	
47 47	_ 20
46	19 12-59
50 17 49 17 6 16	A),
48	
111121	1 13
54	
53 <b>4</b> -76	
55 52	
37 51 37 37 37 37 37 37 37 37 37 37 37 37 37	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
エンジン部品 38 23 42	
31 26	
A) 34 32 32 30 30 30 30 30 30 30 30 30 30 30 30 30	
12-67	
34	
35 40 41	
	*


# 15. 動力伝達(2)

	·					B98-330	SXG3512A-5
No.	部品番号	部	品	名	個数	備	考
43				- 1 000 70			
44	65200-B98-800	ストッハ゜ーステーCO	MP		1		
45	65901-B99-800	セハ゜レータ			1		
46	93000-1002017	コカ゛タハ゛ ネB10X	20 (7T		2		
47	93100-0801617	フランシ B8x16			2		
48	65700-B98-802	ベルトストッパーA	COMP		1		
49	65800-B98-801	へ゛ルトストッハ゜ーB	COMP		1		
50	93300-1002017	フランシ B10x1.	25x20		2		
51	91382-0712901	コルケ゛ート7x129			1		
52	91310-300	ナイロンハ゛ント゛PR	T3S		3		
53	03908-B56-800				1		
54	93100-0803517	フランシ B8x35			1		
55	91314-119P7	ケーフ゛ルストラッフ゜	1-19P7		1		
				181			×
							*
					ľ		
						160	
ļ							

	15	Ħ	動力伝達	(2)
17				




# 16. パネル・ハンドル




Г		T		•			, В98-330	) SXG3512A-S
	No.	部品番号	溶	品	名	個数	備	考
- ]	1	72200-B97-804	1 コントロールホックス	COMP		1		
1	2	93100-0801617				4		
	3	93300-1002017	フランシ B 10*1.	25*20		6		
	4	72400-B56-601	ハント N COMP			1		
	5	91644-101080	フランシ゛フ゛ッシュ 8	0F-1010		4		
	6	93100-0802017	フランシ B 8*20			6		
	7	73100-B56-002	メインクラッチレハ゛ー	COMP		1		
	8	71902-B28-000	リヘ゛ット			2	1	
	9	91701-A41-000	グロメット ゆ 6			2		
	10	72901-B56-001	リターンスフ゜リンケ゛L			1		
- 1	11	74600-B56-000	レハート。 AB COM	2		1		
	12	93100-0601217	フランシ B 6*12			3	2	
	13	94101-10010	ミカ キW 10			1		
13	14	94511-08010	E ነላጋ 8			1		
1	15	72902-B56-001	リターンスプ リンク R			1		
1	16	74500-B56-001	レハ゛ーヒ゜ンA COMF	,		1		
1	.7	74903-B56-800	スイッチカム B		4	1		
1	.8	73909-B43-800	レバーリンク100			2		
1	9	73300-B97-600	非常停止い、B	COMP		, 1		
2	0	73200-B97-000	非常停止レバーA	COMP		1		
2	1 9	94210-25150	刃作。ン 2.5*15	•		8		
2	2 8	83100-B10-000	シュートセンカイスイッチ			1		
2	3	73100-B97-000	下部バ-COMP			· 1		
2	4   8	83901-B10-000	SLボルトM3X20			2		
2	5 9	91237-0801	フランシ゛Uナット8			2		
20	6   9	94002-03410	フランシ゛N3			2		
2	7 7	78400-B56-801	スイッチカハ゛ーD COME	0		1		1
28	3 9	3100-0601217	フランシ B 6*12			3		- 1
29	9 7	'6902-B50-800	リンク 50			1		1
30	) 7	4904-B56-000	調整ロット、L			1		
31	L 9	1231-0841210	コカ * タヒタ * リN 8 (2			1		
32	2 7	4905-B56-000	調整ロット、R			1		
33	3 9	4002-08410	フランシ N 8			1 1		
34	. 9	4101-08010	>力** キW 8			2		
35	9.	4210-25150	ワリヒ°ン 2.5*15			2		1
36	8	3100-B10-000	シュートセンカイスイッチ			2		
37								
38	8	3901-B10-000	SLボルトM3X20			4		
39								***************************************
40	9.	4002-03410	フランシ <sup>*</sup> N3			4	* .	1
41	78	3100-B54-800	スイッチカハ ーA COMP			1		]
42	78		スイッチカハ゛ーC COMP			1		

# 16. パネル・ハンドル



					B98-330	SXG35	12A-S
No.	部品番号	部 品	名	個数	備	考	
43	93100-0601217	フランシ`B 6*12		4		* *	
44	82200-B97-800	ハーネスステー COMP		1			
45	93100-0601617	フランシ B 6*16		4			10
46	91314-15782	ケーブ ルストラップ 1-5782		4			
47	91314-119P7	ケーフ・ルストラッフ。 1-19P7		5	1	٠	
48	82100-B98-830	· インシ゛ケータハ゜ネルCOMP		1			
49	93100-0601257	フランジB6X12(黒		6			ř.
51	82901-B98-800	ハ゜ネルステー		2			
52	93100-0801617	フランシ B 8*16		2			
53	94002-08410	フランシ N 8		2	٠.		
55	21905-B18-000	ב"∆50*50*3.0		1			
56	72901-B43-000	コ゛ム板15x30x5		2			
· 19							
59	82904-B56-000	スポ゚ンシ゛ 15*100		2 .		•	
60	03908-B56-800	ケーフ゛ルホルタ゛ー		1			
61	93100-0802017	フランシ B8X20		1			
62	94002-08410	フランシ* N8		1			
63	91314-119P7	ケーフ゛ルストラッフ゜1–19P7		1			
				,	-		
67	72901-B98-800	タンクカ゛ート゛D		1			
68	72902-B98-801	カ゛ート゛ステー		1	ā		
69	93100-0801617	フランシ B8x16		3			
70	94002-08410	フランシ N8		3			
71	91315-A3455	ケーフ゛ルクリッフ゜A-3455		1	適用号機:2149!	50~	
,,	01010 N0400	, , , , , , , , , , , , , , , , , , ,		•	·	50	
N.							
81	91355-1723	ゴム足KP-6		2			
82	91981-280080	.セメタ゛インスーハ゜ーX8008(クリフ	'	0. 5	g		
			,	. [			ON THE PERSON NAMED IN

# 17. 操作レバー(1)




# 17. 操作レバー(1)

B98-130 SXG3512AT

	·				-	B98-330	SXG3512A-ST
No	部品番号	雅	ii.	名	個数	備	考
1	74100-B56-801	レハ゛ーアーム COMP			1		
2	91644-121080	フランシ ブッシュ 80F	-1210		2		
3	74902-B56-800	スイッチカムA			1		[
4	93100-0601217	フランシ B 6*12			1		
5	73902-B56-000	t°ン 12*130			1		l.
6	94511-09010	E147 9			2		
7	91601-B50-003	コイルスフ゜リンク゛ 10*	118		1		*
8	16904-M65-000	テンションロット			1		
9	94003-08412	コカ ダN 8(2			2		
10	75100-B97-800	変速い *- ** ス CO!	<b>I</b> P		1		e e
11	91644-121080	フランシ ブッシュ 80F-	-1210		1		1
12	74500-B43-000	レハ゛ーピン30 COMP			1		
13	93100-0601217	フランシ B 6*12			1		1
16	75901-B50-000	主変速¤ッド A			1		
17	94002-08410	フランシ N 8			1		
18	91634-080211	リンクホール BLSD			1		
19	91231-0841210	コカ * タヒタ * リN 8(2			1		
20	91634-080221	リンクホール BL8DL			1		1
21	91235-08100	ハート ロックN 8		İ	2		
22	91314-119P7	ケーフ・ルストラップ。 1-1	QP7		1		
23	75700-B56-806	変速レハ - COMP	01 (		. 1		
24	75903-M72-002	カラー 9*63.5			1		
25	93100-0808017	プランシ B 8*80			1		j
26	91233-084120	Utyl 8			1		1
27	72300-B56-800	主変速ブラケット COI	MP.		1		
28	93100-0801617	フランシ B 8*16	ш		2		1
29	75600-B56-801	変速レハ・ーアーム COM	0		1		f
30	91644-121080	フランシ゛ブ゛ッシュ 80Fー			2		ļ.
31	75904-B56-000	副変速pyl*B	2210	1	1		
32	94101-08010	:カ*キW 8		-	2	Ē	ŀ
33	94210-25150	ワリt°ン 2.5*15			2		
34	75400-B72-801	副変速かA COMP		ĺ	1		
35	91644-121080	フランシ゛フ゛ッシュ 80F-1	210		2		
36	94101-12010	₹ħ* ‡₩ 12			1		I
37	94510-12080	Cシ カトメワ 12			1		
38	76904-B54-801	リンク125			1	160	-
39	75903-B16-001	副変速ロッド B			1		m.
40	91231-0841210	コカ * タヒタ * リN 8 (2			1	*)	местиря
41	75907-B08-001	ay 1 120			1		Ĭ
42	94002-08410	フランシ N 8		1	1		1

No.	部品番号	部品	名	個数	備	考	
43	94101-08010	ミカ* キW 8		2			_
44	94210-25150	ワリヒ°ン2. 5x15		2			
45	75500-B85-800	テンションホ*ルトCOMP		1			
46	91648-8012	ワッシャー80W-12		2			
47	72904-B85-000	0.00 South 10 Month 2000 1000000		1			
48	91252-121	サラハ * ネL12		8			
49	94101-12010	ミカ* ‡W12		1		,	
50	91233-124111	Uナット12x1. 25		1			
56	83100-B89-001	角度センサRPA211		í			
57	93100-0401614	フランシ B4X16 (4T		2		3	
60	75903-B97-800	センサープ。レート		1		*	
61	94002-06410	フランシ N 6		1			
62	75200-B97-801	ホルタ ー COMP		1			
63	91644-121080	フランシ゛フ゛ッシュ80F-1210		1			
64	93100-0801217	フランシ* B8X12		2			
						*	
	ž						
73	73700-B56-830	HSTレハ゛ーク゛リッフ゜COMP		1			
20 (20)	83300-B56-030	リート、スイッチ	1	1	*		
	93500-0301614	ナ^゛コネシ゛3X16		2			
	94001-03412	N3 (2		_ [			
	73904-B56-000	スプ・リンク゛ホルタ゛ー		1			
	94511-03010	E1 x 7 3		2			
	94004-14412	N14*1, 5					
	73906-B56-000	ハント * ルク * リップ * 34	1	1			
- 1	73500-B56-031	HSTクラッチレハー COMP	1	1			
- 1	91644-060680	7ランジブ゛ッシュ80F-0606		1		(40)	
	73903-B56-000	クラッチピン		2			
- 1	94101-04010	111167	1	1			

# 17 . 操作レバー(1)



#### 17. 操作レバー(1)

B98-130 SXG3512AT


Ra 部品番号 部 品 名 個数 備 考 79401413 79401413 79401413 79401413 79401413 79401413 794014 1 2 79502-B56-804 7959545 4 4 795902-B56-801 パイプ・サポート 1 990 91644-141580 7522-7522 BEA、ツトプング・ブッシュ SOF-1415 1 1 91323-015 BEA、ツトプ15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							B98-330	SXG3512A	-ST
86	No.	部品番号	部	品	名	個数			Ī
87 78500-B56-804 クラッチカハ・- COMP 1 88 91216-3006020 タッピ、ンネシ・3*6 4 4 99 75902-B56-801 ハ・イブ・サホ・ート 1 7ランジ・ブ・ッシュ 80F-1415 2 91 91323-015 自在ハ・ント・15 1 92 94101-14010 ジュ・キ 〒14 1 1 93 94111-03012 ハ・ネW3 2 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	85	94021-04413	7/10N4			1			$\dashv$
88   91216-3006020   タッヒ*ンネシ*3*6   4   4   75902-B56-801   パーイプ・サボート   1   90   91644-141580   フランシ*フ*ッシュ 80F-1415   2   91323-015   自在パ*ント*15   1   92   94101-14010   沈*キ 〒14   1   93   94111-03012   パ・ネW3   2	86	72903-B56-001	クラッチスプ゜リンク゛			2			
88   91216-3006020   ダッヒ・ンネシ・3*6   4   1   1   1   1   1   1   1   1   1	87	78500-B56-804	クラッチカハ゛ー COM	MP		1			
89	88	91216-3006020	タッピンネジ3*6						
90     91644-141580     ブランジ・ブ・ッシュ 80F-1415     2       91     91323-015     自在パント・15     1       92     94101-14010     効・キ W14     1       93     94111-03012     パ・ネW3     2	89	75902-B56-801							
91   91323-015   自在パンド15   1   1   1   1   1   1   1   1   1	90	91644-141580	フランシ゛フ゛ッシュ 8	30F-1415	i	1			
92 94101-14010 まかき W14 1 93 94111-03012 パネW3 2	91	91323-015							
93 94111-03012 / ** ** ** ** ** ** ** 2	92	94101-14010							1
	93					1			
	94			2					

65


# 18. 操作レバー(2)

B98-130 SXG3512AT

No. 部品番号 部 品 名 個数 備  1 76100-B56-800 駐車ブレーキレバー COMP 1 2 91644-151280 ブランジ ブッシュ 80F-1512 4 3 76200-B56-000 レバーナン 132 COMP 1 4 93100-0601217 ブランジ B 6*12 1 5 76400-B56-800 ガウンターアーAB COMP 1 7 94319-50028 スプ・リング・と・ン 5x28 1 8 76906-B56-800 ブレーキリングアーム 1 9 94101-08010 ジカ・ギw 8 2 10 94210-25150 ブリナ・シン 5.**15 2 11 73200-B56-801 サイト・グラッチレバーL COMP 1 12 91644-151280 ブランジ・ブ・ッシュ 80F-1512 2 13 73300-B72-801 サイト・グラッチレバーR COMP 1 14 91644-151280 ブランジ・ブ・ッシュ 80F-1512 2 15 73400-B56-000 レバーナ・ン410 COMP 1 16 93100-0601217 ブランジ・ア・ッシュ 80F-1512 1 17 91604-A38-001 コイルスア・リング・16.5*125 2 18 73903-A91-000 ジェイントA 2 19 75905-B39-031 副変速車ット・C 2	考
2 91644-151280	-
3 76200-B56-000 レバ・ーと・ン 132 COMP 1 1 93100-0601217 7ランシ・B 6*12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4 93100-0601217 フランシ B 6*12 1 5 76400-B56-800 カウンケース-AB COMP 1 7 94319-50028 スプ リンケ ピン 5x28 1 8 76906-B56-800 ブ レーキリンケアーム 1 9 94101-08010 京か ** W 8 2 10 94210-25150 ワリヒ ン 2.5*15 2 11 73200-B56-801 サイト・クラッチレー、-L COMP 1 12 91644-151280 フランシ ブ・ッシュ 80F-1512 2 13 73300-B72-801 サイト・クラッチレー、-R COMP 1 14 91644-151280 プランシ ブ・ッシュ 80F-1512 2 15 73400-B56-000 サイト・クラッチレー、-R COMP 1 16 93100-0601217 フランシ B 6*12 1 17 91604-A38-001 コイルスプ・リンカ 16.5*125 2 18 73903-A91-000 ジェイントA 2	
5 76400-B56-800 カウンチーア-AB COMP 1 7 76905-B56-000 ブ・レーキカウンケーシャフト 1 7 94319-50028 スプ・リング・ピ・ン 5x28 1 8 76906-B56-800 ブ・レーキリンクアーム 1 9 94101-08010 ミカ・キw 8 2 10 94210-25150 ワリヒ・ン 2.5*15 2 11 73200-B56-801 サイト・クラッチレハ・ーL COMP 1 12 91644-151280 フランシ・ブ・ッシュ 80F-1512 2 13 73300-B72-801 サイト・クラッチレハ・ーR COMP 1 14 91644-151280 フランシ・ブ・ッシュ 80F-1512 2 15 73400-B56-000 レハ・ーと・ン410 COMP 1 16 93100-0601217 フランシ・B 6*12 1 17 91604-A38-001 コイルスア・リンカ・ 16.5*125 2 18 73903-A91-000 シ・ヨイルスト	
6 76905-B56-000 プ・レーキカウンターシャフト 1 94319-50028 スプ・リング・ヒ・ン 5x28 1 1 76906-B56-800 プ・レーキリングアーム 1 9 94101-08010 決力・半 8 2 2 1 73200-B56-801 サイト・クラッチレハ・一L COMP 1 73200-B56-801 サイト・クラッチレハ・一L COMP 1 1 73300-B72-801 サイト・クラッチレハ・一R COMP 1 91644-151280 アランシ・ブ・ッシュ 80F-1512 2 1 73400-B56-000 レハ・一と・ン410 COMP 1 93100-0601217 アランシ・カ・シューター・シー・ン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	
7 94319-50028	
8 76906-B56-800 ブ レーキリンクアーム 1 9 94101-08010 決力・N 8 2 10 94210-25150	
9 94101-08010	
10 94210-25150	
11 73200-B56-801 サイト* クラッチレハ* -L COMP 1 12 91644-151280 フランシ*フ*ッシュ 80F-1512 2 13 73300-B72-801 サイト* クラッチレハ* -R COMP 1 14 91644-151280 フランシ*フ*ッシュ 80F-1512 2 15 73400-B56-000 レハ*ーと*ン410 COMP 1 16 93100-0601217 フランシ*B 6*12 1 17 91604-A38-001 コイルスフ* リンク* 16. 5*125 2 18 73903-A91-000 ジ*ョイントA 2	1
12 91644-151280	
13 73300-B72-801 サイト* クラッチレハ*-R COMP 1 1 91644-151280 7ランシ*ブ*ッシュ 80F-1512 2 15 73400-B56-000 レハ*ーと*ン410 COMP 1 1 93100-0601217 フランシ*B 6*12 1 1 7 91604-A38-001 コイルスア*リンカ* 16.5*125 2 1 1 73903-A91-000 ジェイントA 2 2	
14 91644-151280 7ランジ ブッシュ 80F-1512 2 15 73400-856-000 レバーと *ン410 COMP 1 16 93100-0601217 フランジ *B 6*12 1 17 91604-A38-001 コイルスプ リンカ * 16.5*125 2 18 73903-A91-000 ジェイントA 2	
15 73400-B56-000 レバ・ーと・ン410 COMP 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
16 93100-0601217 フランシ*B 6*12 1 1 1 17 91604-A38-001 コイルスプ・リンカ* 16.5*125 2 1 18 73903-A91-000 ジェイントA 2	
17 91604-A38-001 コイルスプ・リング 16.5*125 2 18 73903-A91-000 ジョイントA 2	1
18 73903-A91-000 ジョイントA . 2	-
_	.
19 75005_R30_031 副麥康亞 C	ĺ
1,0000 D00-001   MIXCKDF/1: V	
20 94003-08412 耳片 列 8(2	
21   73904-B54-800   サイト クラッチホルター 2	ŀ
22 76600-B53-000 サイト クラッチロット COMP 2	
23 94330-0802210 マルブタマと ソ 8*22 · 2	ĺ
24 94101-08010 対 計 ¥W 8 6	1
25 94210-25150 リリt°ン 2.5*15 6	ļ
26 91601-B16-000 サイト クラッチスフ リンク 2	
27   94330-0802510   マルプタマヒ゜ン 8*25   2	1
28 76903-B53-800 ブンーキアームプ・レート 2	1
29   93100-0802017   フランシ゛B 8*20   2	
30 94002-08410 フランシ N 8 2	1
31 76500-B53-800 プレーキャンCOMP 1	İ
32 76904-B56-800 プンーキリンクハンー 1	
33 94101-08010 対 対 和 8 1	
34 94210-25150	
35   16904-M65-000   デンションロット* 1	
36 94003-08412 コカ・ケN 8(2 2	ļ
37 91601-B16-000 サイト クラッチスア リンク 1	
38 76300-B56-800 カウンターアームA COMP 1	
39 94319-50028 スプリング t 2 5x28 1	-
40 <b>75800-B99-800</b> ボンネットホルター COMP 1	
41 75901-B56-800 ボンネットオープ・ンレハー 1	
42 94330-0602510 マルアキマセ°ン 6*25 1	



		· · · · · · · · · · · · · · · · · · ·			B98-330	SXG3512A-ST
No.	部品番号	部品	名	個数	備	考
43	94101-06010	>力* +₩ 6		1		
44	94210-20120	ワリピン 2*12		1		
45	91601-M27-001	コイルスプ リンク 12.5*50		1		ĺ
46	93100-0601617	フランシ B 6*16		2		
47	91731-0809021	レハ゛ーケ゛リッフ゛ J8		1		
8						
						ŀ
						1
:						
55	75901-B98-000	変速レバーガイド		1		
56	75902-B72-801	レハ゛ーカ゛イト゛クランフ゜		1		
57	94002-06410	フランシ N 6		8		
58	76902-A91-001	操作レバーニギリ(赤		1		
59	76903-B18-000	クラッチレハ ーニキ リ A		2		· F
60	76904-B18-000	クラッチレハ ーニキリ B		2		
61	76906-A91-000	タッヒ"ンネシ" 4*20		4		1
63	75907-B18-000	スロットルレハ゛ーノフ゛		1		
64	75908-B18-001	スヘッシャルスクリュー 4*8		1		
					i.	Ì
67	75905-B98-801	スロットルレハ゛ー		1		
68	92200-0803014	⊐ガ ∮B8X30		1		1
69	94101-08015	タ゛イマルW8		2		-
70	91252-082	サラハ゛ネH8		2		
71	94003-08412	コカ タN8 (2		2		
72	75300-B98-800	スロットルストッハ゜ーCOMP		1		
73	93100-0601217	フランシ B6x12		1		
74	83901-B98-800	センサーアーム(スロットル		1	* 4	
75 76	94002-06410 83100-B89-001	フランシ゛N6 角度センサRPA211		1		
70 77	93100-0401614	月及でプリハトAZTT フランシ B4X16 (4T		1		
78	94002-04410	フランシ N4		2		I
79	91311-140	リヒ <sup>°</sup> ートタイRF140		2		
, ,	01011 110	74 77 111		1		
					*	
			Ì			
	***************************************					



19. 電装品(1)

B98-130 SXG3512AT


				B98-330 SXG3512A-
No	部品番号	部 品 名	個数	備考
	82400-B98-800	フ゛サ゛ーステーCOMP	1	
2	93100-0801617	フランシ B8x16	1	1
3	83400-B72-000	ブサー	1	]
4	93100-0601217	フランシ B6X12	2	
5				
6	83100-B98-002	コンヒ゛メーター (DPF	1	
7	92000-0401614	B 4*16	5	1
8	94111-04012	バ ネW 4	5	
9	94101-04010	ミカ*キW4	5	
10	83500-B72-000	LED511	1	
11	87300-B18-000	アースコート。	1	
12	94002-04410	フランシ N 4	2	
13	88100-B84-800	メーターカバ゛ーCOMP	1	
14	93100-0601017	フランシ B6X10	2	
15	83200-B18-000	コントロールスイッチ	1	
16	83902-B18-000	マルサ カ ネ 11*32*4.5	1	
17	93100-0602017	√ フランシ B 6*20	3	
18	91830-0034105	クロスレハ゛ースイッチSW90SU	1	
19	91314-11765	ケーフ゛ルストラッフ゜ 1–1765	1	
20	83200-B54-000	大形照光スイッチ	1	
21	83100-B96-000	防水照光スイッチ	4	
22	83300-B72-001	ホーンスイッチ	1	
23	.89100-B21-000	ハ゜イロットランフ゜	1	赤
1				
ţ		2		
26	89100-A62-000	ハ゜イロットランフ゜ユニット	1	オレンジ゛
27	80001-B98-000	ヒュース゛ホ゛ックスAssy	1	
28	93100-0601617	フランシ B 6*16	2	
29	89120-B18-000	フタ (V729720)		ブレードヒューズ8個用
			1 .	
ļ				
33	84200-B98-000	CBリレー	2	
34	84500-B18-000	NOリレー	1	, , ,
35	93100-0601217	フランシ B6X12	1	
36	82904-B98-000	ヒュース゛ホ゛ックスハ゛ント゛	1	
37	93100-0601217	`フランシ゛B6X12	2	
	0.4000 4	514 USE 350		
39	91382-1501501	コルケ゛ート15x150	2	2
40	01011 110			¥
41	91311–140	リヒ <sup>°</sup> ートタイRF140	1 1	
42		Managara and a same and a same and a same and a same and a same and a same and a same and a same and a same an		-

# 19. 電装品(1)

19 . 電装品 (1)
68
22 20 62
(21)
7 8 9 6
57 10 21
21 21 0 0 16
14 64 64
26 23
(i) -48 -/ (ii) -48 -/ (iii) -48 -/ (iii) -48 -/ (iii) -48 -/ (iii) -48 -/ (iii) -48 -/ (iii)
69
19 P
1 5
4 - 3 3
4
$79  \frac{76}{73} \frac{80}{70}  28  27 \cdot 29$
78 28 33 77
71 36 37
75 76
72
77 75 74 33 49
82
81 82 72 77 84 83 48 48
82 72 77 84 48 47 47

					B98-330 SXG3512A-ST
No.	部品番号	部 品 多	3	個数	備考
47 48 49 50 51 52 53 54	83100-G18-000 93100-0801617 94002-08410 91811-103 91811-105 91811-110 91811-115 91811-120	ワーキンク* ランフ* 18W フランシ* B 8*16 フランシ* N 8 フ* レート* ヒュース* 3A フ* レート* ヒュース* 5A フ* レート* ヒュース* 10A フ* レート* ヒュース* 15A フ* レート* ヒュース* 20A		1 1 1 1 1 1 4	91821-007 電球12V18W
56 57	85500-B72-000 93100-0401614	パ ネルアース フランシ B4X16 (4T		1 2	
58	91811-460	7777 D4X10(41 70-7 0-61-7 60A		1	   ネジ止めタイプ
59	91811-480	スローフ゛ローヒュース゛80A		1	ネジ止めタイプ
60	91811–360	スローフ゛ローヒュース゛60A		1	コネクタタイプ゜
62	83100-B82-000	メインスイッチ		1	83110-B82-000 キーのみ(2個入り)
63 64	88901-B82-000	キーカバー  非常停止ボタン MW1B-M		1	,
04	83100-B97-000	∌Fお1字並がダノWWID─W		1	,
68	88901-B84-000	スポ ンシ゛ 90x298		1	
69	88902-B84-000	カフ゜ラーシャッター		1	
71	82300-B98-802	ECU^*-xCOMP		1	· y
72	93100-0801617	フランシ B8x16		2	
73	91701-A41-000	ク゛ロメット φ 6		2	
74 75	82200-B98-803 82902-B98-000	ECUフ゛ラケットCOMP ハ゛ネツケホ゛ルト		1	
75 76	82901-B98-000	ハ ネッケホ ルト ニコイルスフ゜リンク゛12. 2x34. 2		2	
77	94002-06410	フランシ N6		4	
78	82903-B98-802	<b>ガイド</b>		2	
79	93100-0601217	フランシ B6X12		2	
80	91701-A41-000	ク゛ロメット φ 6		2	いがい仕屋口
81 82	129A22-75030 93100-0602517	ECU フランシ゛B6X25		1 4	エンジ・ン付属品
83	84100-B98-007	ECU (SX		1	
84	93100-0802517	フランシ B8X25	-}	2	a


#### 20 . 電装品(2) (標準シュータ)



#### 20. 電装品(2)(標準シュータ)

r	T	1				
No.	部品番号	部品	名	個数	備	考
1	81100-B97-001	ハ゛ッテリー D31R		1		
2	89903-A26-000	防振ゴム		1	1	
3	86901-B56-801	ハ゛ッテリクランフ゜		1		
4	94101-06015	ダイマルW 6		1		
5	94001-06412	N 6(2		2		
- 6	86901-A20-001	ハ゛ッテリーセットホ゛ルト		1		
7	87100-B98-000	ハ゛ッテリー +コート゛1300		1		
8	94002-08410	フランシ゛N8		1		
9	87200-B98-001	ハ゛ッテリー ーコード		1		
10	94002-06410	フランシ* N6		1		
11	85100-B98-003	メインハーネス		1		
	-		5			
16	85200-B98-000	シュータライトハーネス		1 1		
17	91311-140	リピートタイ RF140		3		
18	91310-300	ナイロンハ゛ント゛PRT3S		1		
19	91311-250	リヒ <sup>®</sup> ートタイ RF250		1		
20	85600-B56-030	リート゛スイッチハーネス		1		
25	91382-1305001	7"L" 112"E00		1		
26	91311-140	コルケ゛ート13x500 リヒ゜ートタイRF140		1 1		1
27	91314-11765	ケーフ゛ルストラッフ゜ 1-1765		2		
28	91314-119P7	ケーフ*ルストラッフ* 1–1703		2		
20	31314 11317	7 7 10 1 1 1 1 1 1 1 1 1 1		_	-	
				·	· ·	( 1
35	91314-11765	ケーフ゛ルストラッフ゜ 1–1765		3		
					ī.	
				1	,	1
					5.	1
						1
				-		
	al and a second					
				f		133444
		W				

20 . 電装品 (3) (短シュータ)



#### 20. 電装品 (3)(短シュータ)


No.	部品番号	部 品	名	個数	1	<b></b>	考
1	81100-B97-001	ハ゛ッテリー D31R		1		7.00.00	
2	89903-A26-000	防振ゴム		1			
3	86901-B56-801	ハ゛ッテリクランフ゜		1			
4	94101-06015	9"17NW 6		1			
5	94001-06412	N 6(2		2			
. 6	86901-A20-001	ハ゛ッテリーセットホ゛ルト		1			
7	87100-B98-000	ハ゛ッテリー +コート゛1300		1			
		9. 10					
9	87200-B98-001	バッテリー ーコード		1			
11	85100-B98-003	メインハーネス		1	3		
16	85300-B98-000	短シュータライトハーネス		1			7
17	91311-140	リヒ <sup>®</sup> ートタイ RF140		3		2	e
19	91311-250	リヒ <sup>°</sup> ートタイ RF250		1			
20	85600-B56-030	リート゛スイッチハーネス		1		in.	
	00000 000 000	2 ( 3077 - 12					
25	91382-1305001	¬# <i>F</i> * 112, E00		1			
26	91311-140	コルケ゛ート13x500 リヒ゜ートタイRF140		1	•		
27	91314-11765	ケーフ゛ルストラッフ゜ 1-1765		2			
28	91314-11703 91314-119P7	ケーフ゛ルストラッフ゜1-1703		2			
20	91314-11917	7-7 10257		-	-		
	-						
- 1	ļ						
	Ì						
						v	
35	91314-11765	ケーフ゛ルストラッフ゜ 1–1765		3			
l	į					e.	
	l l						
1			i		3		
ĺ							
f				a de la companya de l			
	*			Ì			
	and the same of th			-		•	

#### 21、 銘板、付属品(ワド-)

B98-130 SXG3512AT

B98-330 SXG3512A-ST

#### 【ワドー号】



-				B98-330	SXG35
No	部品番号	部 品 名	個数	備,考	
1	79901-B98-030	ハ゜ネルマーク	1		
2	79902-B98-000	インシ゛ケータハ゜ネルマーク	1		İ
3	91830-A26-000	ワトーマークA	1		ĺ
4	: 79904-B98-000	DPF表示ラベル	1		
Б	79910-B18-000	オーンネットオープ。ンマーク	1		
6	79912-B97-001	<b>∇ト゛−フ゛ラント゛マーク</b>	1		
7	79907-B98-000	DPF再生マーク	1		
8	79910-B79-000	★゛ンネットマークL	1		
9	79911-B79-000	木゛ンネットマークR	1		
10	79910-B98-000	サイト マークL (SXG3512A	1		
11	79911-B98-000	サイト マークR (SXG3512A	1		-
12	79911-B18-000	給油ロマーク	1		
13	79906-B98-000	リレーヒュース゛マーク	1		
15	79904-B97-000	走行クラッチマーク	1	×	
16	79905-B56-000	奥起マーク(走行	1	*	1
				*	1
17	79905-B98-000	メンテナンスマーク	1	'	Į
18	01011 105		4	同梱	
19	91811-105	ブ レート ヒュース 5A	1 1	同梱	1
20	91811-110	ブ レート	1	同概.	*
21	91811-115	ブ レート ヒュース 15A	_		1
22	91811-103	ブレート ヒュース 3A	1	同梱	1
23	91811-120	ブ レート tュース 20A	. 1	同梱	
24	98100-B18-000	シートカハ~~	1	同梱	1
25	90001-B10-000	シャーホ゛ルト8X25(コカ゛タASSY	1	同梱(上段大力)	
26	90002-B99-000	シャーホ゛ルト10X40Assy	2	同梱(プロワ・下段オーガ)	
27	91905-B16-000	コンヒ、ネーションレンチ 17	1	同梱	
28	91903-B43-000	コンヒ゛ネーションレンチ1ク	2	同梱	34
29	91906-B72-050	SSS7-7	1 1		ı
30	91998-030812	ポ゚リブクロ0. 03x80x120	1	同梱(ブレードヒューズ	
31	91904-B98-000	型式ラベル(SXG3512A	1 1	(標準シュータ)	
31	91905-B98-000	型式ラベル(SXG3512A-S ・機体番号付社銘板(プランドロゴ	1 1	(短シュータ)	-
32					
33	91903-B98-050	取扱説明書(SXG3512A	1	u .	
34	91997-240325	ェアキャップ゜フ゛クロ240x325	1	同梱Assy	
35	91998-071523	ポリプク□0. 07x150x230	1	工具Assy	
  -	1				
40		和同(除雪機)保証書	1	36	
41	j	検査合格証	1		1
				والمعالمة المعاربين والمراوع والمناطقة المعاربة المناطقة المعاربة المناطقة المعاربة والمناطقة المناطقة	

#### 22 銘板 安全 (ワドー)

B98-130 SXG3512AT

B98-330 SXG3512A-ST

					D30-220	37/033
No.	部品番号	部 品 名	個数	備	考	
1	91193-002	ラジエータ危険ラベル	1			
2	91193-005	火気厳禁ラベル(ディーゼル	1			
3	91193-006	オーカ * 危険ラヘ * ル(3コ	1			,
4	91194-002	飛散警告ラベル	1			
5	91194-004	ブ゚ロワ警告ラベル	1			1
6	91195-003	カバー注意ラベル	2			.
7	91194-008	排気ガス警告ラベル(ヨコ	1			
. 8	91195-001	マフラー注意ラヘ゛ル				
9	79907-B54-001	ボンネット注意ラベル	1			1
, 10	91193-003	バッテリー危険ラベル	1			
11	79903-B98-000	排ガス基準ラベル(2014年	1			
22 23 24	91193-013 91194-011 91193-019	排が、ス高温危険ラヘ・ル 走行クラッチ警告ラヘ・ル デ・ット・マン危険ラヘ・ル	1 1 1			

#### 【ワドー号】

